

X-ray mapping enhances potential of lightweight magnesium

July 19 2019

A world-first study led by Monash University has discovered a technique and phenomenon that can be used for creating stronger, lightweight magnesium alloys that could improve structural integrity in the automobile and aerospace industries.

Published in the prestigious *Nature Communications* on Friday, 19 July, researchers from Monash University, CSIRO and Chongqing University discovered a pattern of alloying element segregation in twin boundaries by using atomic-resolution X-ray mapping at much lower electron voltage.

Engineers are constantly seeking strong, [lightweight materials](#) for use in cars, planes and in high-speed vehicles to improve [fuel efficiency](#), aerodynamics, speed and weight load.

The finding is significant, as the deformation of lightweight [magnesium](#) during thermomechanical processes and applications prevents those alloys from being used more widely in place of steel. It also has implications for other light alloys such as aluminium and titanium.

"Lightweight magnesium has tremendous potential for energy-efficient and environmentally-friendly applications. But the segregation in these materials is prone to electron beam damage," lead author Professor Jian-Feng Nie, from Monash University's Department of Materials Science and Engineering, said.

"The electron beam damage is most severe when segregated solute atoms become a single atomic column. This impacts the formability, deformation behaviour and tension-compression strength of wrought magnesium products.

"We demonstrated that it's possible to solve this difficulty by using atomic-resolution X-ray mapping at a much lower accelerating voltage of electrons [120kV] instead of 300kV, which is commonly used.

"We further discovered that the new segregation pattern increases the boundary pinning effect by more than 30 times, and switches the migration mechanism of the twin boundary from the commonly accepted mode to a new one."

The researchers used a [magnesium alloy](#) comprising neodymium and silver as part of their study. This alloy contains superior mechanical properties at both ambient and elevated temperatures.

They found significant improvements in [shear stress](#), by 33 times, and elastic strain limit occurred when the twin boundary was populated with neodymium and silver.

The increased charge density between silver and neodymium with the magnesium indicated a stronger bond and strengthening of the twin. As force is applied, the magnesium is pushed towards the neodymium and away from the silver—creating a stronger, lightweight alloy.

"Our work demonstrates that the atomic-scale analysis of the structure and chemistry of solute segregation in metallic [alloys](#) with complex compositions is now possible," Professor Nie said.

More information: Xiaojun Zhao et al, Direct observation and impact of co-segregated atoms in magnesium having multiple alloying elements,

Nature Communications (2019). DOI: [10.1038/s41467-019-10921-7](https://doi.org/10.1038/s41467-019-10921-7)

Provided by Monash University

Citation: X-ray mapping enhances potential of lightweight magnesium (2019, July 19) retrieved 18 July 2024 from <https://phys.org/news/2019-07-x-ray-potential-lightweight-magnesium.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.