

Using bacteria from hot springs, biochemist studies RNA splicing in humans

August 30 2019



Aaron Robert, assistant professor, WVU School of Medicine, Department of Biochemistry. Credit: Aira Burkhart/West Virginia University

About 70 percent of the human genome doesn't code for anything. When it's transcribed to RNA—the instructions our cells follow when they

make proteins—most of the message doesn't contain any useful information. As West Virginia University researcher Aaron Robart put it, it's "junk DNA."


Robart is studying how [cells](#) catalyze the removal of this non-coding junk to make sense of the RNA that remains. To do it, he'll use bacteria that thrive in hot springs. The National Institutes of Health has awarded him \$1.6 million for the five-year project.

His findings may deepen what we know about disorders linked to alterations in [gene expression](#)—such as diabetes and cancer—and reveal more about the [human genome](#)'s evolution.

Getting to know our bacterial ancestors

"It's thought that life on earth originated with catalytic RNA," said Robart, an assistant professor of biochemistry in the School of Medicine. "Before there were proteins, before there was DNA, before there were cells, RNA was folding up into complex, three-dimensional structures and figuring out the chemistry of life."

This primitive process still underlies how cells bring order to coding and non-coding RNA today, whether those cells are part of a human, a hyena, a hydrangea or a *Helicobacter* bacterium. By examining how simple organisms perform this task, scientists like Robart can extrapolate their findings and better understand how more complex lifeforms—including us—do it, too.



By mapping crystal structures like this one, scientists can better understand the biochemical processes that make life possible. Aaron Robart, an assistant professor in the School of Medicine's Biochemistry Department, has been awarded \$1.6 million from the National Institutes of Health to study the biochemistry and crystallography that underlie RNA splicing. RNA is the working blueprint that cells follow as they carry out the instructions encoded in DNA. Splicing RNA forms coherent instructions for protein synthesis, but it can also lead to harmful changes in gene expression. Credit: Aira Burkhardt/West Virginia University

"Within your cells, DNA is your master copy. It's transcribed to a working blueprint of RNA, and then RNA is used as instructions to make proteins. The only problem is, the instructions are somewhat scrambled. Exons are bits of RNA that read as instructions to make

proteins. However, they're frequently interrupted by non-coding introns," Robart said.

He likens the process to a cat walking across your keyboard as you type something. The words you've typed are exons; the nonsense your cat "types" is introns.

Before your cells can even try to do what RNA tells them to, they must remove these introns and bring the exons together to form a coherent set of instructions. An elaborate molecular machine called the spliceosome carries out this task, which—in humans—involves many different RNAs and hundreds of proteins.

Bacteria's primitive catalytic introns operate similarly to our own splicing machinery, albeit in a less complicated way. They are the ancestors of the spliceosomes at work in our own cells. "You see their fingerprints all over the essential machineries that drive our cellular functions. We use these molecular fossils to give us insights into the catalytic core powering these machines," Robart said.

An unlikely proxy for human cells: hot-spring bacteria

Robart will use a species of exotic, heat-loving bacteria as a model. The species is advantageous because it produces highly active and stable enzymes that splice and reconfigure RNA.

"We spent about a year and a half testing dozens of different examples to find a few species that had proteins that were amenable to purification from overexpression systems at high levels, because we need a lot of protein to try to do crystallization," he said. "We've uncovered one of the most active enzymes in this class, from a thermophilic

bacteria that thrives in hot springs."

After cultivating and isolating proteins and RNA in large volumes, he and his team will parse the biochemical processes that occur inside cells as introns are spliced, released and disassembled. They'll also remotely control Argonne National Laboratory's Advanced Photon Source—which will subject the crystalized molecules to ultra-bright, high-energy X-rays—to capture snapshots of the process's chemistry in action and learn about the molecular mechanisms behind it.

Not only will Robart and his team gain insight into how the spliceosome excises non-coding RNA, but they'll also discern how the junk DNA is propagated by inserting it elsewhere in the genome. It's as if, instead of deleting the gobbledygook your cat inserted into your document, you copy and paste it into a whole other paragraph.

This process—called retrotransposition—may underlie various conditions that spring from genetic mutations. "It's a driving function of genome evolution and also of disease," Robart said. "Spontaneous mutations arise from these processes that are ongoing in us all the time."

Although his project doesn't address any single disease or treatment, what he uncovers may lay the foundation for developing RNA-based therapeutics aimed at controlling the underlying changes in gene expression found in many diseases.

"We're trying to understand the fundamentals," Robart said. "You can't try to fix something until you understand how it works."

Provided by West Virginia University

Citation: Using bacteria from hot springs, biochemist studies RNA splicing in humans (2019,

August 30) retrieved 26 April 2024 from <https://phys.org/news/2019-08-bacteria-hot-biochemist-rna-splicing.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.