

Biochar: A better start to rain forest restoration

August 30 2019, by Alicia Roberts



Credit: Wake Forest University

An indigenous farming technique that's been around for thousands of years provides the basis for restoring rain forests stripped clear of trees by gold mining and other threats.

A carbon-based [soil amendment](#) called biochar is a cheap and effective way to support tree seedling survival during reforestation efforts in the Amazon rain [forest](#), according to new research from Wake Forest University's Center for Amazonian Scientific Innovation (CINCIA).

Restoring and recovering rain forests has become increasingly important for combating [climate change](#), since these wide swaths of trees can absorb billions of tons of carbon dioxide each year. The problem is particularly acute in areas mined for alluvial gold deposits, which devastate not only rain forest trees but also soils. High costs can be a huge barrier to replanting, fertilizing and nurturing [trees](#) to replace those lost in the rain forest.

The scientists found that using biochar combined with fertilizer significantly improved height and diameter growth of tree seedlings while also increasing the number of leaves the seedlings developed. The experiment, based in a Peruvian Amazon region called Madre de Dios, the heart of illegal gold mining trade in that country, used two tropical tree species: the fast-growing *Guazuma crinita* and *Terminalia amazonia*, a late successional tree often used as timber.

"The most difficult period in a tree seedling's life is the first few months after transplanting," said Miles Silman, CINCIA associate director of science and Wake Forest's Andrew Sabin Presidential Chair of Conservation Biology.

The CINCIA scientists make biochar out of Brazil nut husks discarded by large-scale processors in Peru. They burn the husks slowly in 55-gallon barrels, a low-tech, inexpensive and easily scalable method for producing biochar.

The study, "Biochar effects on two native tropical tree species and its potential as a tool for reforestation," appears online this month in the

peer-reviewed journal *Forests*. Until this study, little was known about whether biochar could benefit tree growth in tropical tree seedlings.

"We show that while both biochar and fertilizer can improve tree seedling growth, combining them makes seedlings thrive beyond either amendment alone," said Silman.



Credit: Wake Forest University

The native peoples of the Amazon created "dark earths" using biochar thousands of years ago, and those soils are still productive today.

Biochar's benefits are many:

- It improves the soil's ability to hold water and makes it less acidic.
- It provides a welcoming habitat for microbes, which support plant growth.
- It holds onto fertilizer and releases it over time, decreasing the need for repeat applications of fertilizer, which cuts labor and supply costs.

The scientists used soils recovered from the San Jacinto native community, where [gold mining](#) has ravaged the land. Silman explained that the dirt that comes from the mining sluice is devoid of the organic matter and microbes that supports plant life.

"These are the kinds of landscapes we have to recover, and we are still trying to determine how to grow plants in them," he said. "This soil is extremely limiting for natural regrowth, but treating them with [biochar](#) turns it into something that plants can grow in. That's good for biodiversity and good for the people that have to make a living from the land."

More information: David Lefebvre et al. Biochar Effects on Two Tropical Tree Species and Its Potential as a Tool for Reforestation, *Forests* (2019). [DOI: 10.3390/f10080678](https://doi.org/10.3390/f10080678)

Provided by Wake Forest University

Citation: Biochar: A better start to rain forest restoration (2019, August 30) retrieved 25 April 2024 from <https://phys.org/news/2019-08-biochar-forest.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.