

## Groundwater resources in Africa resilient to climate change

August 7 2019, by Jake Hawkes



Credit: CC0 Public Domain

Groundwater—a vital source of water for drinking and irrigation across sub-Saharan Africa—is resilient to climate variability and change, according to a new study led by UCL and Cardiff University.

A consortium of 32 scientists from across Africa and beyond carried out the research, published in *Nature*, which shows how groundwater



replenishment depends upon heavy rainfalls and flood events, amplified by climate change.

The findings are significant given the fact that 1 in 3 people currently lack access to safe water in Sub-Saharan Africa and a dramatic expansion of irrigation is required to feed growing populations.

Groundwater plays a central role in sustaining <u>water supplies</u> and livelihoods in sub-Saharan Africa due to its widespread availability, generally high quality, and intrinsic ability to buffer episodes of drought and increasing <u>climate variability</u>.

Professor Richard Taylor (UCL Geography), co-lead on the study, said: "Groundwater offers a potential pathway to sustain increases in freshwater use required to achieve UN Sustainable Development Goals 2 (zero hunger) and 6 (<u>safe water</u> for all)."

"Our study reveals, for the first time, how climate plays a dominant role in controlling the process by which groundwater is restocked. This improved understanding is critical for producing reliable climate change impact projections and adaptation strategies."

The research involved the collation of multi-decadal records of groundwater levels and rainfall to examine how the replenishment of groundwater has responded to variations in climate and geology. The team analysed observations compiled from nine countries across sub-Saharan Africa representing a range of climates from hyper-arid to humid.

The study shows that in humid areas groundwater is replenished primarily by rainfall that directly infiltrates the land surface, whereas in drylands it occurs predominantly by leakage from temporary streams and ponds. Local geology also plays a role in determining the sensitivity of



rates of replenishment to changes in climate.

This research, supported by UK research councils (NERC, ESRC, EPSRC), the Department for International Development (DFID) and The Royal Society, also shows that, in drylands, the heavy rainfalls and flood events generating groundwater replenishment are commonly associated with <u>climate</u> variation phenomena such as El Niño and La Niña.

Dr. Mark Cuthbert (Cardiff University), co-lead on the study, said: "Previous regional-level assessments of groundwater resources using large-scale models have ignored the contribution of leaking streams and ponds to groundwater supplies, underestimating its renewability in drylands and resilience to <u>climate change</u>."

"Knowledge of the replenishment process can inform strategies to enhance groundwater supplies. In drylands, where groundwater resources are often the only lasting source of freshwater, such strategies can further exploit the predictability of heavy rainfalls and flood events that generate <u>groundwater</u>," added Dr. Cuthbert.

**More information:** Observed controls on resilience of groundwater to climate variability in sub-Saharan Africa, *Nature* (2019). <u>DOI:</u> <u>10.1038/s41586-019-1441-7</u>, <u>nature.com/articles/s41586-019-1441-7</u>

## Provided by University College London

Citation: Groundwater resources in Africa resilient to climate change (2019, August 7) retrieved 23 June 2024 from <a href="https://phys.org/news/2019-08-groundwater-resources-africa-resilient-climate.html">https://phys.org/news/2019-08-groundwater-resources-africa-resilient-climate.html</a>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.