

Research offers new insight into bacterial infections found in the noses of healthy cattle

August 16 2019



Group of cattle. Credit: Amy Thomas

New research led by academics at the University of Bristol Veterinary

and Medical Schools used the 'One Health' approach to study three bacterial species in the noses of young cattle and found the carriage of the bacteria was surprisingly different. The findings which combined ideas and methods from both animal and human health research could help prevent and control respiratory diseases.

Cattle, like humans, harbour a wide range of bacteria in their noses, microbes which are normally present and probably necessary for health like those that live in the gut. However, some species of these bacteria do cause serious illness at times, particularly when infection becomes established in the [lower respiratory tract](#) within the lungs.

In an open access paper published in *Scientific Reports* today, the researchers investigated the patterns of acquiring and clearing these microbes in healthy young cattle, which have not previously been studied in detail.

The research team took nasal swabs at intervals during the first year of life, to detect their presence and measure their abundance using a DNA-detection technique called quantitative polymerase chain reaction (qPCR) that targeted genes found in three [bacterial species](#) well-known for their ability to cause respiratory disease in cattle: *Histophilus somni*, *Mannheimia haemolytica* and *Pasteurella multocida*.

The researchers found the carriage patterns of the three bacteria differed remarkably. *Pasteurella* was found in most of the animals, large numbers of bacteria were usually present, and the bacteria stayed in the nose for weeks or months. *Histophilus* was present in up to half the animals, usually in smaller numbers and the periods it was present were shorter. *Mannheimia* was rarely found although the numbers detected, when present, varied widely.

These differences are of interest because the numbers of bacteria and

their duration of carriage are likely to influence their spread among healthy cattle and the likelihood of causing severe respiratory [disease](#).

Amy Thomas, lead author who carried out the research as part of her Ph.D. studies in Clinical Veterinary Science, said: "These techniques and results offer a way forward in understanding why and how apparently healthy cattle harbouring these [bacteria](#) may go on to develop respiratory illness and should help in finding new ways to prevent it."

Professor Mark Eisler, co-author and Chair in Global Farm Animal Health at the Bristol Vet School, added: "These studies are particularly important because cattle are known to contribute to greenhouse gas emissions and improving how their diseases are controlled will help mitigate climate change. Also, reducing the use of antimicrobials that treat [respiratory diseases](#) in [cattle](#) should help reduce the increasing global threat of antimicrobial resistance in animals and humans."

More information: 'Insights into Pasteurellaceae carriage dynamics in the nasal passages of healthy beef calves' by Amy. C. Thomas, Mick Bailey, Michael R.F. Lee, Mark. C. Eisler et al in *Scientific Reports*.
www.nature.com/articles/s41598-019-48007-5

Provided by University of Bristol

Citation: Research offers new insight into bacterial infections found in the noses of healthy cattle (2019, August 16) retrieved 9 April 2024 from <https://phys.org/news/2019-08-insight-bacterial-infections-noses-healthy.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--