

# From Japanese basket weaving art to nanotechnology with ion beams

August 1 2019, by Stephan Brodicky



The traditional Japanese basket weaving pattern (kago-mé: basket with eyes) served as an inspiration for an array of fluxon traps produced with a helium-ion microscope in a high-temperature superconductor. The anchored fluxons are represented by blue figures (based on the symbol  $\Phi 0$  for the flux quantum), the purple fluxons are trapped by their neighbors like in a cage (© Bernd Aichner, University of Vienna).

The properties of high-temperature superconductors can be tailored by



the introduction of artificial defects. An international research team around physicist Wolfgang Lang at the University of Vienna has succeeded in producing the world's densest complex nano arrays for anchoring flux quanta, the fluxons. This was achieved by irradiating the superconductor with a helium-ion microscope at the University of Tübingen, a technology that has only recently become available. The researchers were inspired by a traditional Japanese basket weaving art. The results have been published recently in *ACS Applied Nano Materials*, a journal of the renowned American Chemical Society.

Superconductors can carry electricity without loss if they are cooled below a certain critical temperature. However, pure superconductors are not suitable for most technical applications, but only after controlled introduction of defects. Mostly, these are randomly distributed, but nowadays the tailored periodic arrangement of such defects becomes more and more important.

## Traps and cages for magnetic quantum objects in superconductors

A magnetic field can only penetrate in quantized portions into a superconductor, the so-called fluxons. If superconductivity is destroyed in very small regions, the fluxons are anchored at exactly these places. With periodic arrays of such defects, two-dimensional "fluxon crystals" can be generated, which are a model system for many interesting investigations. The defects serve as traps for the fluxons and by varying easily accessible parameters numerous effects can be investigated. "However, it is necessary to realize very dense defect arrangements so that the fluxons can interact with each other, ideally at distances below 100 nanometers, which is a thousand times smaller than the diameter of a hair," explains Bernd Aichner from the University of Vienna.



Particularly interesting for the researchers are complex periodic arrangements, such as the quasi-kagomé defect pattern investigated in the current study, which was inspired by a traditional Japanese basket weaving art. The bamboo stripes of the kagomé pattern are replaced by a chain of defects with 70 nanometers spacings. The peculiarity of this artificial nanostructure is that not only one fluxon per defect can be anchored, but approximately circular fluxon chains are formed, which in turn hold a still free fluxon trapped in their midst. Such fluxon cages are based on the mutual repulsion of fluxons and can be opened or locked by changing the external magnetic field. They are therefore regarded as a promising concept for the realization of low-loss and fast superconducting circuits with fluxons.

### Nanostructuring of high-temperature superconductors with the helium-ion microscope

This research has been made possible by a novel device at the University of Tübingen – the helium-ion microscope. Although it has a similar operating principle as the scanning electron microscope, the helium-ion microscope offers a previously unmatched resolution and depth of field because of the much smaller wavelength of the helium ions. "With a <u>helium-ion microscope</u>, the superconducting properties can be tailored without removing or destroying the material, which enables us to produce fluxon arrays in high-temperature superconductors with a density that is unrivaled worldwide," emphasizes Dieter Koelle from the Eberhard Karls University of Tübingen. The scientists are now planning to further develop the method for even smaller structures and to test various theoretically proposed concepts for fluxon circuits.

**More information:** Bernd Aichner et al. Ultradense Tailored Vortex Pinning Arrays in Superconducting YBa2Cu3O7 $-\delta$  Thin Films Created by Focused He Ion Beam Irradiation for Fluxonics Applications, *ACS* 



### Applied Nano Materials (2019). DOI: 10.1021/acsanm.9b01006

#### Provided by University of Vienna

Citation: From Japanese basket weaving art to nanotechnology with ion beams (2019, August 1) retrieved 22 May 2024 from <u>https://phys.org/news/2019-08-japanese-basket-art-nanotechnology-ion.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.