

## **Researchers grow Lokiarchaea in special** tank over 12-year study

August 12 2019, by Bob Yirka




Fig. 1 Growth curves and photomicrographs of the cultured Lokiarchaeota strain MK-Dl.a, Growth curves of MK-DI in anaerobic media supplemented with Casamino acids (CA; 0.05%, w/v) alone; CA with 20 amino acids (20 AAs; 0.1 mM of each) and powdered milk (PM; 0.1 %, w/v); or peptone (0.1 %, w/v) with PM. Results are also shown for cultures fed with 10- and 100-fold dilution of CA, 20 AAs, and PM. b, c, Fluorescence images of cells from enrichment cultures after eight (b) and eleven (c) transfers stained with DAPI (violet) and hybridized with nucleotide probes targeting MK-DI (green) and Bacteria (red). Pie charts show relative abundance of microbial populations based on SSU rRNA gene tag-sequencing (iTAG) analysis. d, A fluorescence image of cells



from enrichment cultures after eleven transfers hybridized with nucleotide probes targeting MK-DI (green) and Methanogenium (red). e, SEM image of a highly purified co-culture of MK-DI and Methanogenium. White arrows indicate Methanogenium cells. The detailed iTAG-based community compositions of cultures corresponding to each of the images are shown in Supplementary Table S2. *biorxiv* (2019). DOI: 10.1101/726976

A team of researchers affiliated with several institutions in Japan has succeeded in cultivating samples of *Lokiarchaea* in a special tank in their lab. They have published a paper describing their work on the bioRxiv preprint server as they await publication.

The tree that represents all known living things has three main branches: eukaryotes, bacteria and archaea. The first branch includes existing organisms, including humans; the second comprises familiar microbes -but archaea are less well-known. They, too, are microbes, and resemble bacteria, but are actually different. In recent years, some scientists have suggested that eukaryotes evolved through interactions between archaea and bacteria. Some have taken a further step and suggested that a certain kind of archaea, Asgard archaea, may have been that which interacted with bacteria, resulting in the first eukaryotes. Such theories emerged after researchers subjected samples of mud from the <u>deep ocean</u> to DNA analysis—the results showed evidence of both archaea and eukaryote-like genomes. The samples were given the name Lokiarchaea, because they were uncovered from an area close to Loki's Castle, a deep-sea hydrothermal vent. These theories were met with skepticism, however, due to the possibility of sediment contamination. In this new effort, the researchers have overcome that argument by growing and testing pure samples of *Lokiarchaea* in their lab.

The work consisted of obtaining sand from the seafloor and putting it in



a special chamber that mimicked the conditions under which the mud was found—deep pressure and exposure to a lot of methane. The researchers report that it took five years for the microbes to reproduce in detectable numbers. Once that happened, they separated the microbes into glass tubes, and once again waited for signs of a colony to develop. That took another year. At that point, the team collected samples and carried out a DNA study that confirmed the microbes were *Lokiarchaea*. More time passed as the researchers allowed the colony to grow. Twelve years into the project, the team finally had a large enough sample for more sophisticated testing. DNA analysis showed that the *Lokiarchaea* genome did have <u>eukaryote</u>-like genes, strongly bolstering the theory that eukaryotes evolved due to interactions between <u>archaea</u> and <u>bacteria</u>.

**More information:** Hiroyuki Imachi et al. Isolation of an archaeon at the prokaryote-eukaryote interface, *biorxiv* (2019). <u>DOI:</u> <u>10.1101/726976</u>

© 2019 Science X Network

Citation: Researchers grow Lokiarchaea in special tank over 12-year study (2019, August 12) retrieved 27 April 2024 from <u>https://phys.org/news/2019-08-lokiarchaea-special-tank-year.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.