


# Researchers get first microscopic look at a tiny phenomenon with big potential implications

August 22 2019

---



Credit: Tohoku University

Matter behaves differently when it's tiny. At the nanoscale, electric current cuts through mountains of particles, spinning them into vortexes that can be used intentionally in quantum computing. The particles arrange themselves into a topological map, but the lines blur as electrons merge into indistinguishable quasiparticles with shifting properties. The trick is learning how to control such changeable materials.


For the first time, researchers have taken a microscopic look at this process. The international team has now published their results on July 11, 2019 in *Communications Physics*, a *Nature* journal.

In certain conductive materials, such as Manganese Silicon (MnSi), the quasiparticles can accumulate into a magnetic skyrmion with a vortex-like shape and motion. The skyrmion creates a [lattice](#) of connection points within the MnSi crystal.


"Magnetic skyrmions have attracted interest due to the potential for spintronics applications," said Taku Sato, study author and professor at the Institute of Multidisciplinary Research for Advanced Materials at Tohoku University.

Spintronics refer to theoretical electronics that rely not only on the charge state of a current, but also on the characteristics of electrons to transfer and store quantum information.


"The first step to realize such spintronic applications of skyrmions may be electric current control of skyrmion flow," Sato said. "Once created, the skyrmion can almost never be annihilated. It also strongly couples to electric current flow, meaning it takes very little current to move the system."



Schematic illustration of the magnetic skyrmions in MnSi. Arrows stand for magnetic moments in MnSi. Red arrows indicate that corresponding moments have negative out-of-plane components, whereas blue ones positive. Credit: D. Okuyama, Tohoku University



Magnetic reflections from the skyrmion lattice in MnSi. Credit: D. Okuyama, Tohoku University



Researchers speculate that the magnetic skyrmion lattice moves the same direction with the applied electric current direction. Near the sample edge, the plastic deformation of the magnetic-skyrmion lattice takes place, resulting in the counter-rotating behavior of the magnetic skyrmion reflections. Credit: D. Okuyama, Tohoku University

To understand how [electric current](#) affects the magnetic skyrmion changes under an [electrical current](#), the researchers used a method called small-angle neutron scattering. They powered a neutron beam through a MnSi crystal, causing the skyrmion particles to react—the neutrons literally scatter against and around the components of the skyrmion system. How they scatter tells the researchers about the system.

In this case, the researchers saw that the lattice structure of the skyrmion was deformed, causing the vortex motion of the skyrmion to change. They also saw that the edges of the skyrmion were significantly disturbed, almost as if it were pushing against itself. Sato attributes this to what he called "pinned edges." The [skyrmion](#) might push against its

outermost limits, causing friction.

"Such a friction effect has not been reported to date as far as we are aware of," Sato said. "It's fundamental key information for the realistic spintronics device design utilizing magnetic skyrmions."

Sato and his team plan to further investigate the dynamics of [magnetic skyrmions](#) with the eventual goal of developing [spintronic](#) devices.

**More information:** D. Okuyama et al, Deformation of the moving magnetic skyrmion lattice in MnSi under electric current flow, *Communications Physics* (2019). [DOI: 10.1038/s42005-019-0175-z](https://doi.org/10.1038/s42005-019-0175-z)

Provided by Tohoku University

Citation: Researchers get first microscopic look at a tiny phenomenon with big potential implications (2019, August 22) retrieved 25 April 2024 from <https://phys.org/news/2019-08-microscopic-tiny-phenomenon-big-potential.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--