

## **Producing protein batteries for safer, environmentally friendly power storage**

August 26 2019



Credit: CC0 Public Domain

Proteins are good for building muscle, but their building blocks also might be helpful for building sustainable organic batteries that could someday be a viable substitute for conventional lithium-ion batteries,



without their safety and environmental concerns. By using synthetic polypeptides—which make up proteins —- and other polymers, researchers have taken the first steps toward constructing electrodes for such power sources. The work could also provide a new understanding of electron-transfer mechanisms.

The researchers will present their results today at the American Chemical Society (ACS) Fall 2019 National Meeting & Exposition.

"The trend in the battery field right now is to look at how the electrons are transported within a polymer network," says Tan Nguyen, a Ph.D. student who helped develop the project. "The beauty of polypeptides is that we can control the chemistry on their <u>side chains</u> in 3-D without changing the geometry of the backbone, or the main part of the structure. Then we can systematically examine the effect of changing different aspects of the side chains."

Current lithium-ion batteries can harm the environment, and because the cost of recycling them is higher than manufacturing them from scratch, they often accumulate in landfills. At the moment, there is no safe way of disposing of them. Developing a protein-based, or organic, battery would change this situation.

"The amide bonds along the peptide backbone are pretty stable—so the durability is there, and we can then trigger when they break down for recycling," says Karen Wooley, Ph.D., who leads the team at Texas A&M University. She envisions that polypeptides could eventually be used in applications such as flow batteries for storing electrical energy. "The other advantage is that by using this protein-like architecture, we're building in the kinds of conformations that are found in proteins in nature that already transport electrons efficiently," Wooley says. "We can also optimize this to control battery performance."



The researchers built the system using electrodes made of composites of carbon black, constructing polypeptides that contain either viologen or 2,2,6,6-tetramethylpiperidine 1-oxyl (TEMPO). They attached viologens to the matrix used for the anode, which is the negative electrode, and used a TEMPO-containing polypeptide for the cathode, which is the positive electrode. The viologens and TEMPO are redox-active molecules. "What we've measured so far for the range, the potential window between the two materials, is about 1.5 volts, suitable for low-energy requirement applications, such as biosensors," Nguyen says.

For potential use in an organic battery, Nguyen has synthesized several polymers that adopt different conformations, such as a random coil, an alpha helix and a beta sheet, to investigate their electrochemical characteristics. With these peptides in hand, Nguyen is now collaborating with Alexandra Danielle Easley, a Ph.D. student in the laboratory of Jodie Lutkenhaus, Ph.D., also at Texas A&M University, to build the battery prototypes. Part of that work will include testing to better understand how the polymers function when they're organized on a substrate.

While this early stage research has far to go before organic-based batteries are commercially available, the flexibility and variety of structures that proteins can provide promise wide potential for sustainable energy storage that is safer for the environment.

**More information:** Tale of redox-active organic radical polypeptides as electrode materials: From full organic batteries to electron-transfer kinetics, the American Chemical Society (ACS) Fall 2019 National Meeting & Exposition.

## Abstract

This work seeks to develop polymer nanocomposites containing organic redox-active moieties as electrode components to circumvent the



drawbacks of conventional lithium ion batteries, e.g., use of scarce resources, safety concerns, high carbon emissions, and high-cost recycling. L-Glutamic acid-based polypeptides with pendant 2,2,6,6-tetramethylpiperidine 1-oxyl (TEMPO) and viologen moieties were designed for utilization as viable materials for next-generation battery cathodes and anodes, respectively, due to their stabilities and redox processes. The helical structure adopted by these polypeptides provides opportunities to control the placement of the redox-active moieties in three-dimensional space by tuning their distribution along the polymer backbones. This presentation will highlight the synthetic processes to prepare redox-active polypeptides and the fabrication of peptide-based full organic batteries, followed by the investigation of physical, structural and electrochemical properties and electron transfer kinetics studies of the materials, by utilizing a variety of thermal, spectroscopic, imaging and electrochemical techniques. It is anticipated that the synthetic development of polypeptide-based electrodes will provide insights into the mechanism of electron transfer in redox-active materials and, ultimately, address the need for high-performance and sustainable alternative energy sources (e.g., supercapacitors, biosensors) towards a greener and more sustainable world, which is facing a neverending demand for energy technologies.

Provided by American Chemical Society

Citation: Producing protein batteries for safer, environmentally friendly power storage (2019, August 26) retrieved 2 May 2024 from <u>https://phys.org/news/2019-08-protein-batteries-safer-environmentally-friendly.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.