

## New technique could streamline design of intricate fusion device

August 21 2019, by Raphael Rosen



PPPL physicist Caoxiang Zhu. Credit: Elle Starkman / PPPL Office of Communications

Stellarators, twisty machines that house fusion reactions, rely on complex magnetic coils that are challenging to design and build. Now, a



physicist at the U.S. Department of Energy's (DOE) Princeton Plasma Physics Laboratory (PPPL) has developed a mathematical technique to help simplify the design of the coils, making stellarators a potentially more cost-effective facility for producing fusion energy.

"Our main result is that we came up with a new method of identifying the irregular magnetic fields produced by <u>stellarator</u> coils," said physicist Caoxiang Zhu, lead author of a paper reporting the results in *Nuclear Fusion*. "This technique can let you know in advance which coil shapes and placements could harm the plasma's magnetic confinement, promising a shorter construction time and reduced costs."

Fusion, the power that drives the sun and stars, is the fusing of light elements in the form of plasma—the hot, charged state of matter composed of free electrons and atomic nuclei—that generates massive amounts of energy. Twisty, cruller-shaped stellarators are an alternative to doughnut-shaped tokamaks that are more commonly used by scientists seeking to replicate <u>fusion</u> on Earth for a virtually inexhaustible supply of power to generate electricity.

A key benefit of stellarators is their production of highly stable plasmas that are less liable to the damaging disruptions that tokamaks can incur. But the complexity of stellarator coils has been a factor holding back development of such facilities.

The coils of a stellarator must be constructed and arranged around the vacuum chamber very precisely, since deviations from the best coil arrangement create bumps and wiggles in the <u>magnetic field</u> that degrade the magnetic confinement and allow the plasma to escape. These problematic magnetic fields can easily be caused by misplacement of the magnetic coils, so engineers stipulate strict tolerances for these components.



"The big challenge of building stellarators is figuring out how to make them simply and economically," said PPPL Chief Scientist Michael Zarnstorff. "Zhu's research is important because he is trying to look more carefully and quantitatively at some of the drivers of the cost. His results suggest that we can simplify the construction of stellarators and thereby make them easier and less expensive to build, by not insisting on tight tolerances for things that don't matter."

In the past, scientists have used computer simulations to determine which coil placements would be best, checking the plasma's reactions to all possible magnetic configurations before the stellarator was built. But because there are many ways for the coils to vary, "this approach requires massive computation resources and man-hours," said Zhu. "In this paper, we propose a new mathematical method to rapidly identify dangerous coil deviations that could appear during fabrication and assembly."

The method relies on a Hessian matrix, a mathematical tool that allows researchers to determine which variations of the magnetic coils can make the plasma change its properties. "The idea is to figure out which perturbations you really have to control or avoid, and which you can ignore," Zhu said.

The team recently confirmed the accuracy of the new method by using it to analyze coil placements for a configuration similar to the Columbia Non-Neutral Torus, a small fusion facility operated by Columbia University. They compared the results to those produced by past studies relying on conventional methods and found that they agreed. The team is now collaborating with researchers in China to use the method to optimize coil placement on the Chinese First Quasi-axisymmetric Stellarator (CFQS), currently under construction.

The new technique could help scientists design better stellarators, Zhu



said. It could make possible ways to identify an optimal <u>coil</u> arrangement that no one had considered before.

Provided by Princeton Plasma Physics Laboratory

Citation: New technique could streamline design of intricate fusion device (2019, August 21) retrieved 17 July 2024 from <u>https://phys.org/news/2019-08-technique-intricate-fusion-device.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.