

# Coral restoration research shows baby sea urchins boost coral survival rate

September 11 2019

---



Credit: University of Derby

New research into co-culturing—raising juvenile sea urchins alongside lab-spawned corals—has found the technique produces an eight-times-higher survival rate in young corals, and could have major implications for the restoration of damaged reefs around the world.

The research—published this week in open access journal *Scientific Reports*—took as its starting point the known benefits of algae-grazing [sea urchins](#) for [coral reefs](#), which can become overwhelmed if the algae is not kept in check. For young corals, though, adult sea urchins cause damage and even eat the corals, so juvenile urchins are needed to control the algae without threatening the [coral](#) "babies."

Researchers at the Horniman Museum and Gardens in London and the University of Derby spawned Tuxedo urchins (*Mespilia globulus*) and reared them to a suitable size in time for the planned spawning of broadcast corals at the Horniman Aquarium's research laboratory. Compared to a coral survival rate of just 5% in a tank without any urchins, researchers found that 40% of the corals survived for six months in the tank with the most urchins (18 urchins reared alongside 1,250 corals).

Dr. Jamie Craggs, lead researcher and curator at the Horniman Aquarium, says: "This research is an important next step for Project Coral, our international research partnership which has already broken the code to allow predictable spawning of corals in laboratory settings. Low survival rates of juvenile corals are currently a barrier to effective [reef](#) restoration. This new co-culturing technique using sea urchins makes possible a major up-scaling in the number of corals that could be reared and transplanted onto damaged reefs, and we're already getting interest from leading reef restoration organizations around the world."

Dr. Michael Sweet, Associate Professor in Aquatic Biology at the University of Derby, says: "Co-culturing itself is a known concept, used before with snails but never before with corals and sea urchins. This research has overcome significant challenges in terms of logistics and husbandry, to rear sea urchins to exactly the right size to graze without damaging the juvenile corals, allowing them to thrive. In addition we highlight one possible way in which reef restoration can be self-funded, by co-culturing a commercially important species and using the profits to funnel back into methods to try and save our reefs."

The [research paper](#), "Ex-situ co culturing of the sea urchin, *Mespilia globulus* and the coral *Acropora millepora* enhances early post-settlement survivorship," was published online in *Scientific Reports* on 10 September 2019.

**More information:** Find out more about Project Coral and support its work at [horniman.ac.uk/coral](http://horniman.ac.uk/coral)

Jamie Craggs et al. Ex situ co culturing of the sea urchin, *Mespilia globulus* and the coral *Acropora millepora* enhances early post-settlement survivorship, *Scientific Reports* (2019). [DOI: 10.1038/s41598-019-49447-9](#)

Provided by University of Derby

Citation: Coral restoration research shows baby sea urchins boost coral survival rate (2019, September 11) retrieved 2 May 2024 from <https://phys.org/news/2019-09-coral-baby-sea-urchins-boost.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---