

Croc-like carnivores terrorized Triassic dinosaurs in southern Africa 210 million years ago

September 23 2019



Artist's reconstruction of two rauisuchians fighting over a desiccated corpse of a mammal-relative in the Triassic of southern Africa. In the background, dinosaurs and mammal-like reptiles form other parts of the ecosystem. Credit: Viktor Radermacher, owns copyright

Giant, predatory croc-like animals that lived during the Triassic period in southern Africa preyed on early dinosaurs and mammal relatives 210 million years ago. These predators, known as "rauisuchians" preyed on early herbivore dinosaurs and their mammal relatives living at the time, according to Wits Masters student Rick Tolchard.

"These [ancient fossils](#) provide us with evidence of how at least two predator species hunted these vegetarian dinosaurs 210 million years ago. It is amazing to follow the clues left behind in fossilized teeth, jaws, limbs and other fossils to help us tell the ancient story of life in southern Africa," says Tolchard.

The fossils studied by Tolchard include teeth, pieces of jaws, hind limbs and [body armour](#), all of which can be described as parts of rauisuchians.

Rauisuchians are closely related to crocodiles as we know them today. They had a diversity of body shapes and sizes during the Triassic period. The specimens described in this research include some of the largest carnivorous members of this group, that were possibly up to 10 meters long, with huge skulls full of serrated, curved teeth.

The study, published online in the *Journal of African Earth Sciences* last week, shows that the rauisuchians were some of the latest-surviving members of their group, and that when they were alive, they were thriving close to the Antarctic Circle—the theoretical limit for their physiology.



Example of raiisuchian teeth in the Wits collections Credit: Wits University

"In the Triassic period, raiisuchians were widespread and their fossils are known from all continents except Antarctica," adds Tolchard. "They went extinct about 200 million years ago, paving the way for dinosaurs to become the dominant large land animals."

"Rick's study demonstrates the value of re-examining old specimens, and now we finally know what was preying on all those herbivorous [dinosaurs](#)!" says Professor Jonah Choiniere, Rick's advisor and Professor of Comparative Palaeobiology at the Wits Evolutionary Studies Institute.



Rick Tolchard studying rousuchians in the Geological Survey in Namibia.
Credit: Helke Mocke

Tolchard studied fossils from collections based at the the University of the Witwatersrand, the Iziko South African Museum and the National Museum in Bloemfontein. He was joined in the research by an international team, including researchers from the U.S., Argentina and the U.K.

More information: Frederick Tolchard et al, 'Rousuchian' material from the lower Elliot Formation of South Africa and Lesotho:

Implications for Late Triassic biogeography and biostratigraphy, *Journal of African Earth Sciences* (2019).

[dx.doi.org/10.1016/j.jafrearsci.2019.103610](https://doi.org/10.1016/j.jafrearsci.2019.103610)

Provided by Wits University

Citation: Croc-like carnivores terrorized Triassic dinosaurs in southern Africa 210 million years ago (2019, September 23) retrieved 23 May 2024 from <https://phys.org/news/2019-09-croc-like-carnivores-terrorized-triassic-dinosaurs.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--