


# Curved nanochannels allow independent tuning of charge and spin currents

September 30 2019



Scanning electron microscope image of a non-local spin-valve with a curved nano-channel as used in this study. Transport of pure spin current has been achieved and can be controlled by changing the 3D geometry of the nano-channel. Credit: Das et al, *Nano Letters*

To increase the efficiency of microchips, 3-D structures are now being investigated. However, spintronic components, which rely on electron spin rather than charge, are always flat. To investigate how to connect these to 3-D electronics, University of Groningen physicist Dr. Kumar Sourav Das created curved spin transport channels. Together with his colleagues, he discovered that this new geometry makes it possible to independently tune charge and spin currents. The results were published online by the journal *Nano Letters* on 13 September 2019.

Das started with two main questions: how to tune spin current using geometry, and how to create spin transport in a 3-D nanostructure. Electron spin is a quantum mechanical property, a [magnetic moment](#) that can be used to transfer or store information. Spin is already used in memory storage, and could also be used in logic circuits.

### **Curved architecture**

"So far, most spintronic devices have been based on a flat structure. We wanted to find out how the [spin currents](#) behave in a curved channel," says Das. Using silicon oxide substrates with trenches created by an ion beam, designed at the HZDR in Dresden by Dr. Denys Makarov, Das grew aluminum nanochannels that crossed the trenches. In this curved architecture, the thickness of the aluminum varies at nanoscale dimensions, shorter than the spin relaxation length.

Das used different sized trenches and measured both spin resistance and charge currents. "What we discovered is that variations in the trench size affect spin and charge transport in the channel differently," Das explains. "We were therefore able to independently tune both spin and charge currents based on the channel geometry."

### **Novel functionalities**

His colleague Dr. Carmine Ortix from Utrecht University created a theoretical model describing this phenomenon. "Our theory clearly demonstrates that it is possible to independently tune the spin and charge characteristics using the shape of the materials alone. This possibility overcomes the existing technological hurdles for the applicability of spintronics in modern electronics," says Dr. Ortix. "Extending low-dimensional structures into the three-dimensional space can provide the means to modify conventional functionalities or even launch completely novel functionalities by suitably tailoring the shape of real materials."

"This discovery is important because it allows us to [tune spintronic](#) components to match both the spin current and the charge current of electronic circuits," says Das. "It enables the efficient integration of spin injectors and detectors or spin transistors into modern 3-D circuitry." This could help to create more energy-efficient electronics, as spintronics is an attractive way of creating low-power devices. "And we can now use our model to purpose-design channels."

**More information:** Kumar Sourav Das et al, Independent Geometrical Control of Spin and Charge Resistances in Curved Spintronics, *Nano Letters* (2019). [DOI: 10.1021/acs.nanolett.9b01994](https://doi.org/10.1021/acs.nanolett.9b01994)

Provided by University of Groningen

Citation: Curved nanochannels allow independent tuning of charge and spin currents (2019, September 30) retrieved 30 March 2023 from <https://phys.org/news/2019-09-nanochannels-independent-tuning-currents.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.