

## Scientists find biology's optimal 'molecular alphabet' may be preordained

September 10 2019





The coded amino acids each have unique properties that help biological proteins fold optimally. The set of amino acids biology uses appears to have been evolutionarily optimized. Credit: H.J. Cleaves, ELSI/ Wikimedia Commons

An international and interdisciplinary team working at the Earth-Life Science Institute (ELSI) at the Tokyo Institute of Technology has modeled the evolution of one of biology's most fundamental sets of building blocks and found that it may have special properties that helped bootstrap itself into its modern form.

All life on Earth uses an almost universal set of 20 coded amino acids (CAAs) to construct proteins. This set was likely "canonicalized" or standardized during early evolution; before this, smaller amino acid sets were gradually expanded as organisms developed new synthetic proofreading and coding abilities. The new study, led by Melissa Ilardo, now at the University of Utah, explored how this set evolution might have occurred.

There are millions of possible types of amino acids that could be found on Earth or elsewhere in the universe, each with its own distinctive <u>chemical</u> properties. Indeed, scientists have found these unique chemical properties are what give biological proteins, the <u>large molecules</u> that do much of life's catalysis, their own unique capabilities. The team had previously measured how the CAA set compares to random sets of amino acids and found that only about 1 in a billion random sets had chemical properties as unusually distributed as those of the CAAs.

The team thus set out to ask the question of what earlier, smaller coded sets might have been like in terms of their chemical properties. There are many possible subsets of the modern CAAs or other presently



uncoded amino acids that could have comprised the earlier sets. The team calculated the possible ways of making a set of 3-20 amino acids using a special library of 1913 structurally diverse "virtual" amino acids they computed and found there are  $10^{48}$  ways of making sets of 20 amino acids. In contrast, there are only ~  $10^{19}$  grains of sand on Earth, and only ~  $10^{24}$  stars in the entire universe. "There are just so many possible amino acids, and so many ways to make combinations of them, a computational approach was the only comprehensive way to address this question," says team member Jim Cleaves of ELSI. "Efficient implementations of algorithms based on appropriate mathematical models allow us to handle even astronomically huge combinatorial spaces," adds co-author Markus Meringer of the German Center for Air and Space.

As this number is so large that they used statistical methods to compare the adaptive value of the combined physicochemical properties of the modern CAA set with those of billions of random sets of three to 20 amino acids. What they found was that the CAAs may have been selectively conserved during evolution due to their unique adaptive chemical properties, which help them to make optimal proteins, in turn helping organisms that could produce those proteins become more fit.

They found that even hypothetical sets containing only one or a few modern CAAs were especially adaptive. It was difficult to find sets even among a multitude of alternatives that have the unique chemical properties of the modern CAA set. These results suggest that each time a modern CAA was discovered and embedded in biology's toolkit during evolution, it provided an adaptive value unusual among a huge number of alternatives, and each selective step may have helped bootstrap the developing set to include still more CAAs, ultimately leading to the modern set.

If true, the researchers speculate, it might mean that even given a large



variety of starting points for developing coded amino <u>acid</u> sets, biology might end up converging on a similar set. As this model was based on the invariant physical and chemical properties of the <u>amino acids</u> themselves, this could mean that even life beyond Earth might be very similar to modern Earth life. Co-author Rudrarup Bose, now of the Max Planck Institute of Molecular Cell Biology and Genetics in Dresden, further hypothesizes, saying "Life may not be just a set of accidental events. Rather, there may be some universal laws governing the <u>evolution</u> of life."

**More information:** Melissa Ilardo et al, Adaptive Properties of the Genetically Encoded Amino Acid Alphabet Are Inherited from Its Subsets, *Scientific Reports* (2019). DOI: 10.1038/s41598-019-47574-x

Provided by Tokyo Institute of Technology

Citation: Scientists find biology's optimal 'molecular alphabet' may be preordained (2019, September 10) retrieved 2 May 2024 from <u>https://phys.org/news/2019-09-scientists-biology-optimal-molecular-alphabet.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.