


New research brings scientists one step closer to a fully functioning quantum computer

September 25 2019



John Nichol's research brings scientists one step closer to creating a fully functional quantum computer, a type of computer that operates on the principles of quantum mechanics. Seen here, a quantum processor semiconductor chip is connected to a circuit board. Thin aluminum wires are connected from the surface of the semiconductor chip to pads on the circuit board, which allows users to perform electrical control and readouts of the device by sending and receiving electrical signals during experiments. The researchers fabricate the device by patterning and depositing metal gates on a GaAs/AlGaAs

heterostructure chip. The metal gates are designed to be able to trap individual electrons in the semiconductor. They send electrical signals down to the device and change the voltage on the metal gates to perform various controls of the electrons. They also receive electrical signals from the device to help monitor the electrons' behavior. Credit: University of Rochester / J. Adam Fenster

Quantum computing has the potential to revolutionize technology, medicine, and science by providing faster and more efficient processors, sensors, and communication devices.

But transferring information and correcting errors within a [quantum system](#) remains a challenge to making effective quantum computers.

In a paper in the journal *Nature*, researchers from Purdue University and the University of Rochester, including John Nichol, an assistant professor of physics, and Rochester Ph.D. students Yadav P. Kandel and Haifeng Qiao, demonstrate their method of relaying information by transferring the state of electrons. The research brings scientists one step closer to creating fully functional quantum computers and is the latest example of Rochester's initiative to better understand [quantum behavior](#) and develop novel quantum systems. The University recently received a \$4 million grant from the Department of Energy to explore quantum materials.

Quantum computers

A quantum computer operates on the principles of quantum mechanics, a unique set of rules that govern at the extremely small scale of atoms and [subatomic particles](#). When dealing with particles at these scales, many of the rules that govern [classical physics](#) no longer apply and quantum effects emerge; a quantum computer is able to perform

complex calculations, factor extremely [large numbers](#), and simulate the behaviors of atoms and particles at levels that classical computers cannot.

Quantum computers have the potential to provide more insight into principles of physics and chemistry by simulating the behavior of matter at unusual conditions at the molecular level. These simulations could be useful in developing new energy sources and studying the conditions of planets and galaxies or comparing compounds that could lead to new drug therapies.

"You and I are quantum systems. The particles in our body obey quantum physics. But, if you try to compute what happens with all of the atoms in our body, you cannot do it on a regular computer," Nichol says. "A quantum computer could easily do this."

Quantum computers could also open doors for faster database searches and cryptography.

"It turns out that almost all of modern cryptography is based on the extreme difficulty for regular computers to factor large numbers," Nichol says. "Quantum computers can easily factor large numbers and break encryption schemes, so you can imagine why lots of governments are interested in this."


Bits vs. qubits

A regular computer consists of billions of transistors, called bits. Quantum computers, on the other hand, are based on quantum bits, also known as qubits, which can be made from a [single electron](#). Unlike ordinary transistors, which can be either "0" or "1," qubits can be both "0" and "1" at the same time. The ability for individual qubits to occupy these "[superposition states](#)," where they are simultaneously in multiple

states, underlies the great potential of quantum computers. Just like ordinary computers, however, quantum computers need a way to transfer information between qubits, and this presents a major experimental challenge.

"A quantum computer needs to have many qubits, and they're really difficult to make and operate," Nichol says. "The state-of-the art right now is doing something with only a few qubits, so we're still a long ways away from realizing the full potential of quantum computers."

All computers, including both regular and quantum computers and devices like smart phones, also have to perform error correction. A regular computer contains copies of bits so if one of the bits goes bad, "the rest are just going to take a majority vote" and fix the error. However, quantum bits cannot be copied, Nichol says, "so you have to be very clever about how you correct for errors. What we're doing here is one step in that direction."



John Nichol's research brings scientists one step closer to creating a fully functional quantum computer, a type of computer that operates on the principles of quantum mechanics. Seen here, a quantum processor semiconductor chip is connected to a circuit board. Thin aluminum wires are connected from the surface of the semiconductor chip to pads on the circuit board, which allows users to perform electrical control and readouts of the device by sending and receiving electrical signals during experiments. The researchers fabricate the device by patterning and depositing metal gates on a GaAs/AlGaAs heterostructure chip. The metal gates are designed to be able to trap individual electrons in the semiconductor. They send electrical signals down to the device and change the voltage on the metal gates to perform various controls of the electrons. They also receive electrical signals from the device to help monitor the electrons' behavior. Credit: University of Rochester / J. Adam Fenster

Manipulating electrons

Quantum error correction requires that individual qubits interact with many other qubits. This can be difficult because an individual electron is like a bar magnet with a north pole and a south pole that can point either up or down. The direction of the pole—whether the north pole is pointing up or down, for instance—is known as the electron's magnetic moment or quantum state.

If certain kinds of particles have the same magnetic moment, they cannot be in the same place at the same time. That is, two electrons in the same quantum state cannot sit on top of each other.

"This is one of the main reasons something like a penny, which is made out of metal, doesn't collapse on itself," Nichol says. "The electrons are pushing themselves apart because they cannot be in the same place at the same time."

If two electrons are in opposite states, they can sit on top of each other. A surprising consequence of this is that if the electrons are close enough, their states will swap back and forth in time.

"If you have one electron that's up and another electron that's down and you push them together for just the right amount of time, they will swap," Nichol says. "They did not switch places, but their states switched."

To force this phenomenon, Nichol and his colleagues cooled down a semiconductor chip to extremely low temperatures. Using quantum dots—nanoscale semiconductors—they trapped four electrons in a row, then moved the electrons so they came in contact and their states switched.

"There's an easy way to switch the state between two neighboring electrons, but doing it over long distances—in our case, it's four

electrons—requires a lot of control and technical skill," Nichol says. "Our research shows this is now a viable approach to send information over long distances."

A first step

Transmitting the state of an electron back and forth across an array of qubits, without moving the position of electrons, provides a striking example of the possibilities allowed by quantum physics for information science.

"This experiment demonstrates that information in quantum states can be transferred without actually transferring the individual electron spins down the chain," says Michael Manfra, a professor of physics and astronomy at Purdue University. "It is an important step for showing how information can be transmitted quantum-mechanically—in manners quite different than our classical intuition would lead us to believe."

Nichol likens this to the steps that led from the first computing devices to today's computers. That said, will we all someday have quantum computers to replace our desktop computers? "If you had asked that question of IBM in the 1960s, they probably would've said no, there's no way that's going to happen," Nichol says. "That's my reaction now. But, who knows?"

More information: Coherent spin-state transfer via Heisenberg exchange, *Nature* (2019). DOI: [10.1038/s41586-019-1566-8](https://doi.org/10.1038/s41586-019-1566-8) , [nature.com/articles/s41586-019-1566-8](https://www.nature.com/articles/s41586-019-1566-8)

Provided by University of Rochester

Citation: New research brings scientists one step closer to a fully functioning quantum computer (2019, September 25) retrieved 19 April 2024 from <https://phys.org/news/2019-09-scientists-closer-fully-functioning-quantum.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.