


Scientists develop DNA microcapsules with built-in ion channels

September 18 2019



A conceptual illustration of DNA nanoplate-based microcapsules. Credit: Masahiro Takinoue of Tokyo Institute of Technology


A Research group led by Tokyo Tech reports a way of constructing DNA-based microcapsules that hold great promise for the development of new functional materials and devices (Figure 1). They showed that tiny pores on the surface of these capsules can act as ion channels. Their study will accelerate advances in artificial cell engineering and molecular robotics, as well as nanotechnology itself.

DNA-based, self-assembled nanostructures are promising [building blocks](#) for new kinds of micro- and nanodevices for biomedical and environmental applications. Much research is currently focused on adding functionality to such structures in order to expand their versatility.

For example, engineered capsules called liposomes that have a [lipid-bilayer](#) membrane are already successfully being used as sensors, diagnostic tools and drug delivery systems. Another group of capsules that do not have a lipid bilayer but are instead composed of colloidal particle membrane, known as Pickering emulsion or colloidosomes, also have potential for many biotechnologically useful applications.

Now, a research group led by biophysicist Masahiro Takinoue of Tokyo Institute of Technology reports a new type of Pickering emulsion with the added functionality of [ion channels](#)—an achievement that opens up new routes to designing artificial cells and molecular robots.

"For the first time, we have demonstrated ion channel function using pored DNA nanostructures without the presence of a lipid-bilayer membrane," says Takinoue.



Representation of DNA nanoplate-based microcapsules: (a) Two types of DNA nanoplates (non-pored and pored) were constructed and modified to confer hydrophobicity to one face of the nanoplates. The resultant amphiphilic DNA nanoplates self-assemble at the oil–water interface to form emulsion droplets, or microcapsules, even without any supporting membrane such as lipid membrane. (b) The nanopores were successfully shown in this study to function as ion channels between two microcapsules. Credit: Tokyo Institute of Technology

The team's design exploits the self-assembling properties of DNA

origami nanoplates. The resulting Pickering emulsions are stabilized by the amphiphilic nature of the nanoplates. (See Figure 2.)

One of the most exciting implications of the study, Takinoue explains, is that it will be possible to develop stimuli-responsive systems—ones that are based on the concept of open-close switching. Such systems could eventually be used to develop [artificial neural networks](#) mimicking the way the human brain works.

"In addition, a stimuli-responsive shape change of the DNA nanoplates could serve as a driving force for autonomous locomotion, which would be useful for the development of molecular robots," Takinoue says.

The present study highlights the team's strengths in combining DNA nanotechnology with a perspective grounded in biophysics and soft-matter physics.

More information: Daisuke Ishikawa et al, DNA Origami Nanoplate-Based Emulsion with Nanopore Function, *Angewandte Chemie International Edition* (2019). [DOI: 10.1002/anie.201908392](https://doi.org/10.1002/anie.201908392)

Provided by Tokyo Institute of Technology

Citation: Scientists develop DNA microcapsules with built-in ion channels (2019, September 18) retrieved 13 March 2024 from <https://phys.org/news/2019-09-scientists-dna-microcapsules-built-in-ion.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--