


New models suggest Titan lakes are explosion craters

September 9 2019, by Alana Johnson



This artist's concept of a lake at the north pole of Saturn's moon Titan illustrates raised rims and rampartlike features such as those seen by NASA's Cassini spacecraft around the moon's Winnipeg Lacus. Credit: NASA/JPL-Caltech

Using radar data from NASA's Cassini spacecraft, recently published research presents a new scenario to explain why some methane-filled lakes on Saturn's moon Titan are surrounded by steep rims that reach hundreds of feet high. The models suggests that explosions of warming

nitrogen created basins in the moon's crust.

Titan is the only planetary body in our solar system other than Earth known to have stable liquid on its surface. But instead of water raining down from clouds and filling lakes and seas as on Earth, on Titan it's methane and ethane—hydrocarbons that we think of as gases but that behave as liquids in Titan's frigid climate.

Most existing models that lay out the origin of Titan's lakes show liquid methane dissolving the moon's bedrock of ice and solid organic compounds, carving reservoirs that fill with the liquid. This may be the origin of a type of [lake](#) on Titan that has sharp boundaries. On Earth, bodies of water that formed similarly, by dissolving surrounding limestone, are known as karstic lakes.

The new, alternative models for some of the smaller lakes (tens of miles across) turns that theory upside down: It proposes pockets of liquid nitrogen in Titan's crust warmed, turning into explosive gas that blew out craters, which then filled with liquid methane. The new theory explains why some of the smaller lakes near Titan's [north pole](#), like Winnipeg Lacus, appear in radar imaging to have very steep rims that tower above sea level—rims difficult to explain with the karstic model.

The [radar data](#) were gathered by the Cassini Saturn Orbiter—a mission managed by NASA's Jet Propulsion Laboratory in Pasadena, California—during its last close flyby of Titan, as the spacecraft prepared for its final plunge into Saturn's atmosphere two years ago. An international team of scientists led by Giuseppe Mitri of Italy's G. d'Annunzio University became convinced that the karstic model didn't jibe with what they saw in these new images.

"The rim goes up, and the karst process works in the opposite way," Mitri said. "We were not finding any explanation that fit with a karstic

lake basin. In reality, the morphology was more consistent with an explosion crater, where the rim is formed by the ejected material from the crater interior. It's totally a different process."

The work, published Sept. 9 in *Nature Geosciences*, meshes with other Titan climate models showing the moon may be warm compared to how it was in earlier Titan "ice ages."

Over the last half-billion or billion years on Titan, methane in its atmosphere has acted as a greenhouse gas, keeping the moon relatively warm—although still cold by Earth standards. Scientists have long believed that the moon has gone through epochs of cooling and warming, as methane is depleted by solar-driven chemistry and then resupplied.

In the colder periods, nitrogen dominated the atmosphere, raining down and cycling through the icy crust to collect in pools just below the surface, said Cassini scientist and study co-author Jonathan Lunine of Cornell University in Ithaca, New York.

"These lakes with steep edges, ramparts and raised rims would be a signpost of periods in Titan's history when there was liquid nitrogen on the surface and in the crust," he noted. Even localized warming would have been enough to turn the liquid nitrogen into vapor, cause it to expand quickly and blow out a crater.

"This is a completely different explanation for the steep rims around those small lakes, which has been a tremendous puzzle," said Cassini Project Scientist Linda Spilker of JPL. "As scientists continue to mine the treasure trove of Cassini data, we'll keep putting more and more pieces of the puzzle together. Over the next decades, we will come to understand the Saturn system better and better."

More information: Possible explosion crater origin of small lake

basins with raised rims on Titan, *Nature Geosciences* (2019). DOI: [10.1038/s41561-019-0429-0](https://doi.org/10.1038/s41561-019-0429-0) , [nature.com/articles/s41561-019-0429-0](https://www.nature.com/articles/s41561-019-0429-0)

Citation: New models suggest Titan lakes are explosion craters (2019, September 9) retrieved 24 March 2023 from <https://phys.org/news/2019-09-titan-lakes-explosion-craters.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.