

# Coral discovery equips researchers with new environmental monitoring method

October 21 2019

---



Credit: University of Queensland

A rare element discovered in Great Barrier Reef coral skeletons will help scientists understand the environmental history of nearby regions.

Researchers at The University of Queensland's Sustainable Minerals Institute (SMI) and School of Earth and Environmental Sciences (SEES) found concentrations of the element vanadium in coral is directly linked to forest burning and land clearing in the area.

SMI researcher Dr. Narottam Saha said the remarkable correlation

meant researchers could now accurately examine the region's environmental history.

"A Great Barrier Reef coral skeleton's geochemistry contains a concentration of vanadium that correlates directly with clearing and [forest fires](#) in the adjacent Fitzroy River catchment," Dr. Saha said.

"Coral skeletons contain a unique archive of geochemical data that allows for accurate chronological interpretations of the environmental histories of tropical and sub-tropical regions.

"By analysing a coral skeleton that grew between 1957 and 2010, we were able to distinctly observe the effects of the Vegetation Management Act 1999, which led to a decrease in land clearing.

"We believe forest fires result in the release of a soluble form of vanadium bound to soil minerals, allowing surface runoff to transport it to the sea where it is incorporated into coral.



Credit: University of Queensland

Dr. Saha said the technique might provide governments with a tool to measure and monitor the effectiveness of legislation aimed at regulating catchment modification.

"This is the first example of an element directly relating to the timing of land clearing or burning," he said.

"The projected increase in forest fires associated with [anthropogenic climate change](#) means understanding the effects of fires on water quality

is increasingly important."

UQ palaeontologist and sedimentologist Professor Gregory Webb said the results provided a valuable new tool for monitoring land clearing and burning trends in appropriate catchments.

"Aside from increasing our understanding of the effects and nature of fires in the environment, this research has direct relevance to environmental protection of the Great Barrier Reef by informing better land management and may allow monitoring of historic and ongoing catchment management practices elsewhere," Professor Webb said.

SMI Professorial Research Fellow and Ecological Engineering of Mine Wastes Group Leader Professor Longbin Huang said the method also would benefit investigations into the impact of mining.

"This cutting-edge technology will enable us to investigate long-term and historic impacts of mining activities, such as bauxite mining and alumina refinery on marine environments," he said.

The UQ research team published a study of the phenomenon in the journal *Earth and Planetary Science Letters*.

**More information:** Narottam Saha et al. Vanadium in the massive coral *Porites*: A potential proxy for historical wood clearing and burning, *Earth and Planetary Science Letters* (2019). [DOI: 10.1016/j.epsl.2019.115793](https://doi.org/10.1016/j.epsl.2019.115793)

Provided by University of Queensland

Citation: Coral discovery equips researchers with new environmental monitoring method (2019,

October 21) retrieved 2 May 2024 from <https://phys.org/news/2019-10-coral-discovery-equips-environmental-method.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.