

## Fish more tolerant than expected to low oxygen events

October 22 2019



Credit: CC0 Public Domain

Fish may be more tolerant than previously thought to periods of low oxygen in the oceans, new research shows.

The surprising discovery, from research by the University of Exeter and the Centre for Environment, Fisheries and Aquaculture Science (Cefas), was made when investigating the importance of carbon dioxide  $(CO_2)$ 



during hypoxic (low oxygen) events.

The study shows that natural increases of carbon dioxide during low oxygen events make sea bass 20% more tolerant to <u>hypoxia</u>.

Researchers believe this occurs because the blood chemistry of sea bass changes in response to higher  $CO_2$  levels.

In turn this makes it easier for hemoglobin in their red blood cells to transport oxygen during a hypoxic event.

"The standard methods used to measure the response of <u>fish</u> to hypoxia do not usually take into account the associated rise in  $CO_2$  levels that always simultaneously occur in nature," said lead author Daniel Montgomery, a marine biologist at the University of Exeter.

"During hypoxic events, respiration by bacteria in the water causes  $CO_2$  levels to increase as oxygen drops.

"Our results indicate that this  $CO_2$  may play a key role in the ability of fish to tolerate hypoxic events, by enabling their blood to continue absorbing oxygen at lower environmental oxygen levels."

Improving our ability to predict the consequences of hypoxia for <u>fish</u> <u>species</u> is critical.

We know already that climate change is increasing the occurrence and severity of hypoxic events in oceans across the globe.

This means that hypoxia tolerance may become increasingly important for the success of many fish species.

"Although our results indicate that fish may be more resilient to hypoxia



than previously thought it is key to remember that fish are also having to cope with multiple stressors in their environment," Montgomery said.

"Climate change is causing warming of the world's oceans as well as increased hypoxic events and fish in warmer waters are more vulnerable to low oxygen conditions."

The researchers studied responses to hypoxia in European sea bass (*Dicentrarchus labrax*), an ecologically and economically important species in Europe.

They now aim to investigate how common this response is in other fish species and how climate change will impact hypoxia tolerance of these fish.

Dr. Silvana Birchenough, co-supervisor of this work based at Cefas, said: "This research is vital to understand how fish species will be able to adapt and react as <u>climate change</u> alters environmental conditions in the oceans.

"This work will enable us to improve <u>empirical data</u> to test and evaluate our current models of how fish populations will be affected in the future, providing the potential for making better predictions and thus protecting and conserving our fish stocks under a changing climate."

Daniel's Ph.D. supervisor at the University of Exeter, Professor Rod Wilson, said "At one level Dan's work provides an elegant example of how environmental  $CO_2$  influences blood chemistry which then exquisitely enhances the ability of hemoglobin in fish <u>red blood cells</u> to manage oxygen delivery to their tissues.

"At the other end of the scale, it suggests a profound influence of these molecular processes on the fitness of individual animals, and ultimately



the likely fate of fish populations in our rapidly changing oceans."

The paper, published in the journal *Scientific Reports*, is titled "Rising  $CO_2$  enhances hypoxia tolerance in a marine fish."

**More information:** Rising CO<sub>2</sub> enhances hypoxia tolerance in a marine fish *Scientific Reports*, <u>doi.org/10.1038/s41598-019-51572-4</u>

Provided by University of Exeter

Citation: Fish more tolerant than expected to low oxygen events (2019, October 22) retrieved 1 May 2024 from <u>https://phys.org/news/2019-10-fish-tolerant-oxygen-events.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.