

Making infant formula more like human breast milk

October 2 2019



Dr Peter Eastmond. Credit: Rothamsted Research

U.K.-based scientists have engineered plants to produce an oil that mimics the chemical structure of human milk fat, a major component of breast milk. Previous studies suggest the human form of this molecule,

triacylglycerol, aids absorption of key nutrients by the infant gut, but few infant formulas contain anything like it.

Now, a team from Rothamsted Research have found a way to modify the biochemical pathways of [plants](#) so they can produce the human form of this key nutrient.

Around half the calories in human [milk](#) come from triacylglycerol, and in [infant formula](#) this fat is mainly sourced from plants—but [vegetable oils](#) have a different chemical structure to the fat produced by mothers in their milk.

It is the uniquely human arrangement of [fatty acids](#)—the constituent molecules that make up triacylglycerol—that is thought to provide benefits. These include the absorption of calcium, which is vital for bone development.

Whilst some milk formulas already contain triacylglycerol that mimics the structure of human milk fat, these Human Milk Fat Substitutes (HMFS) are expensive to make, whilst the process generates solvent waste and uses palm oil—the growing of which has been blamed for tropical deforestation.

Costs are one of the main reasons why HMFS are found in only about 10 percent of infant formulas, particularly premium products formulated and marketed for ease-of-digestion.

Whilst breast milk is the best and first choice for infant nutrition, the team hope their breakthrough could lead to improvement in all grades of formula for babies who need it.

Lead researcher, Dr. Peter Eastmond said the oil from the engineered plants has triacylglycerol molecules in this human configuration in

similar proportions as found in a mothers' milk.

"In human milk fat, saturated fatty acids are attached to the middle point of the central 'backbone' of the triacylglycerol molecule, giving it a distinctive structure, and evidence from several clinical trials has suggested that this assists nutrient absorption in the infant gut. However, the fat used in most infant formulas is derived from plants, where these saturated fatty acids almost always bond to the ends of the 'backbone' instead."

Writing in the journal *Proceedings of the National Academy of Sciences*, the team report making triacylglycerol where more than 70 percent of the saturated fatty acids are in the crucial 'middle' position, compared with less than 3 percent in the unmodified plant—a more than 20-fold increase.

"We have engineered the metabolism of a plant so the fat it produces has the structure found in human milk, not vegetable oil," said Dr. Eastmond.

The infant [formula](#) market is currently estimated to use nearly half a million metric tons of vegetable-derived fat per year.

According to Dr. Eastmond, applying metabolic engineering technology to oil producing crops, or even oil producing microorganisms, might provide a new source of cost-effective, human milk fat substitute for infant nutrition.

"Several oilseed crops could be candidates for HMFS production, such as sunflower and oilseed rape."

In this BBSRC-funded study, the team modified the genes responsible for a [metabolic pathway](#) in the oilseed plant *Arabidopsis thaliana*, a

species often used as a test bed in biological research, to demonstrate it could be done.

They relocated an enzyme, lysophosphatidic acid acyltransferase (LPAT), from where it usually resides within the cell's light-capturing chloroplasts, to the endoplasmic reticulum, an area of the cell where fats are made.

This led to LPAT being incorporated into the fat production pathway, resulting in triacylglycerol produced in the human form.

"Being able to modify the metabolic pathways of plants opens many potential doors and demonstrates how similar approaches could provide benefits to several different sectors including human health and the environment," Dr. Eastmond said.

More information: Harrie van Erp et al. Engineering the stereoisomeric structure of seed oil to mimic human milk fat, *Proceedings of the National Academy of Sciences* (2019). [DOI: 10.1073/pnas.1907915116](https://doi.org/10.1073/pnas.1907915116)

Provided by Rothamsted Research

Citation: Making infant formula more like human breast milk (2019, October 2) retrieved 21 May 2024 from <https://phys.org/news/2019-10-infant-formula-human-breast.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--