


# Finding the 'magic angle' to create a new superconductor

October 2 2019, by Laura Arenschield

---



Researchers have learned more about the potential of graphene to be a superconductor of electricity. Credit: The Ohio State University

Researchers at The Ohio State University, in collaboration with scientists around the world, have made a discovery that could provide new insights into how superconductors might move energy more efficiently to power

homes, industries and vehicles.

Their work, published last week in the journal *Science Advances*, showed that [graphene](#)—a material composed of a single layer of carbon atoms—is more likely to become a superconductor than originally thought possible.

"Graphene by itself can conduct energy, as a normal metal is conductive, but it is only recently that we learned it can also be a superconductor, by making a so-called '[magic](#) angle' – twisting a second layer of graphene on top of the first," said Jeanie Lau, a professor of physics at Ohio State and co-author of the paper. "And that opens possibilities for additional research to see if we can make this material work in the real world."

Unlike most conventional conductors, superconductors are metals that can conduct electricity without resistance, thus suffering no loss of energy.

Graphene is two-dimensional crystal—a perfectly flat piece of carbon—and, as a single [layer](#), is not a superconductor. But earlier this year, scientists at the Massachusetts Institute of Technology published research that showed that graphene could become a superconductor if one piece of graphene were laid on top of another piece and the layers twisted to a specific angle—what they termed "the magic angle."

That magic angle, scientists thought, was between 1 degree and 1.2 degrees—a very precise angle.

"The question is, the magic angle, how magic does it have to be?" said Emilio Codecido, a graduate student in Lau's lab and a co-author on the paper.

The Ohio State team found that the magic angle appears to be less

magical than originally thought. Their work found that graphene layers still superconducted at a smaller angle, around 0.9 degrees. It is a small distinction, but it could open the possibility of new experiments to investigate graphene as a potential superconductor in the real world. So far, superconducting is limited outside of scientific laboratories because in order to superconduct electricity, the electric lines must be kept at extremely low temperatures.

"This research pushed our understanding of [superconductors](#) and the magic [angle](#) a little further than the theory and prior experiments might have expected," said Marc Bockrath, a co-author of the paper and physics professor at Ohio State.

"Superconductivity could revolutionize many industries—electric transmission lines, communication lines, transportation, trains," Codecido said. "Superconductivity in twisted [bilayer graphene](#) will teach us about superconductivity at much higher temperatures, temperatures that will be useful for real-world applications. That's where future work will be focused."

**More information:** Emilio Codecido et al. Correlated insulating and superconducting states in twisted bilayer graphene below the magic angle, *Science Advances* (2019). [DOI: 10.1126/sciadv.aaw9770](https://doi.org/10.1126/sciadv.aaw9770)

Provided by The Ohio State University

Citation: Finding the 'magic angle' to create a new superconductor (2019, October 2) retrieved 1 May 2024 from <https://phys.org/news/2019-10-magic-angle-superconductor.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.