

Magma crystallization makes volcanoes more explosive

October 22 2019



A small eruption of Mount Rinjani, with volcanic lightning. Location: Lombok, Indonesia. Credit: Oliver Spalt, Wikipedia.

A new paper from scientists at The University of Manchester has discovered why some volcanic eruptions are more explosive than others.

Basaltic eruptions are the most common form of volcanic eruption, and for the most part, they involve relatively tame magma activity. Occasionally, however, the magma activity results in highly explosive



and hazardous eruptions. The latter are known as Plinian eruptions, after the Ancient Roman writer who described the eruption of Mt Vesuvius in 79AD.

A new paper, "Magma fragmentation in highly explosive basaltic eruptions induced by rapid crystallization", published in the journal *Nature Geoscience*, proposes an explanation for this discrepancy. When magma is rapidly expelled from a volcano, it undergoes rapid cooling. This induces the formation of crystals, resulting in a sudden increase in the viscosity of the magma. In turn, this produces magma fragmentation, creating a highly explosive eruption.

Dr. Fabio Arzilli, from The University of Manchester, and his colleagues discovered this process using a combination of numerical modeling and in situ and ex situ experiments. They also observed natural samples from previous highly explosive basaltic eruptions, such as the 1886 Tarawera eruption in New Zealand. The work was carried out with partners at the Oxfordshire-based Diamond Light Source.

Dr. Arzilli said; "We found that, under certain conditions consistent with highly explosive eruptions, crystallization can occur within a couple of minutes during magma ascent."

Previous research into <u>magma</u> crystallization had led volcanologists to believe it occurred too slowly to be responsible for highly explosive eruptions.

Commenting on the findings of the paper, Dr. Arzilli said; "Our results imply that all basaltic systems on Earth have the potential to produce powerful <u>explosive eruptions</u>."

He continued; "This has important implications for the volcanic hazard and risk, on not only the regional, but also the global scale. Indeed,



Icelandic eruptions are recognized as one of the highest priority risks in the National Risk Register of Civil Emergencies for the UK population."

More information: Fabio Arzilli et al. Magma fragmentation in highly explosive basaltic eruptions induced by rapid crystallization, *Nature Geoscience* (2019). DOI: 10.1038/s41561-019-0468-6

Provided by University of Manchester

Citation: Magma crystallization makes volcanoes more explosive (2019, October 22) retrieved 19 April 2024 from <u>https://phys.org/news/2019-10-magma-crystallization-volcanoes-explosive.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.