

New materials to help stop lithium-ion battery fires, explosions and improve battery performance

October 3 2019, by Chris Adam



This image shows a high ionically-conductive and flexible polymer composite electrolyte film for lithium-ion batteries. Credit: Purdue University

From automobiles and planes to laptops and e-bikes, lithium-ion batteries have been blamed for causing fires in high-tech devices. Now, Purdue University scientists have come up with patented techniques that may cut down the risk from these popular batteries, which are found in everyday devices such as phones and tablets.

"The major problem that hinders the wider implementation of these batteries into more automobiles and other larger devices is the flammable and explosive nature of the liquid [electrolyte](#) materials used in their fabrication," said Ernesto E. Marinero, a professor of materials engineering and electrical and computer engineering in Purdue's College of Engineering. "These liquids are used in what constitutes the highway, the electrolyte, for shuttling reversibly lithium ions between the [battery](#) electrodes during charge and discharge cycles."

Marinero said the Purdue research team created solutions that address the flammability problem, along with the need for high plasticity in the material inside the battery that connects the anode and cathode electrodes.

Purdue scientists created a novel composite solid-state electrolyte material system comprising ceramic nanoparticles embedded in polymer matrixes.

"These patented technologies are designed to provide a safer path within the battery and increase the ionic conductivity and performance," Marinero said. "In addition, these [composite materials](#) potentially enable the use of pure lithium metal anodes, to increment the volumetric

capacity density of existing batteries by a factor of about five."

Marinero said the Purdue innovations have applications beyond automobiles and personal electronic devices. The battery technology also can help improve the function and lifetime of medical devices such as pacemakers.

Andres Villa, a doctoral research assistant who works in Marinero's laboratory, studied the effects of various materials on the ionic conductivity. He found that less than 10% per weight of ceramic nanoparticles in a polymer composite electrolyte are needed to surpass the ionic conductivity of thin films comprising only the ceramic material, thereby significantly cutting down production costs.

Provided by Purdue University

Citation: New materials to help stop lithium-ion battery fires, explosions and improve battery performance (2019, October 3) retrieved 22 April 2024 from <https://phys.org/news/2019-10-materials-lithium-ion-battery-explosions.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.