

## Nanostructures help to reduce the adhesion of bacteria

October 10 2019



Credit: CC0 Public Domain

Scientists have shown how bacteria adhere to rough surfaces at the microscopic level. Now a team of researchers has discovered that precise analysis of the topographical composition of nanostructured surfaces provides a direct means of deriving the adhesive forces that bind bacteria to a surface. This discovery has opened up promising new avenues of research, including ways of combating the bacteria that are so



hazardous in clinical environments. The results have been published in the academic journal *Nanoscale*.

Staphylococcus aureus <u>bacteria</u> are one of the main causes of hospitalacquired infections. These pathogens are particularly problematic because they can form highly robust biofilms on both natural and artificial surfaces and are very difficult to remove. The <u>biofilm</u> effectively protects the individual bacteria from attack by other substances, such as antibiotics, making them very hard to treat. One approach is therefore to try and stop biofilms from forming in the first place. But in order to be able to influence biofilm growth, researchers need to understand the mechanisms by which the bacteria adhere to different types of materials. Surfaces such as door handles or medical implants have nanoscale topographies and are widespread in hospital environments. Under the microscope, these apparently smooth surfaces show up as rough, irregular landscapes of mountains and valleys.

In an earlier study, the team from Saarland University, led by experimental physicist Professor Karin Jacobs and microbiologist Professor Markus Bischoff, discovered that the bacteria adhered to solid surfaces by a mechanism in which numerous individual molecules in the bacterial cell wall become tethered to the surface. The dimensions of these tethering molecules vary due to thermal fluctuations that can induce length changes of around 50 nanometres.

In their most recent study, the scientists undertook a detailed examination of how the adhesive strength of individual molecules depends on the topography of the substrate surface. The research team prepared silicon surfaces exhibiting nanostructures of different sizes but of the same order of magnitude as the tethering molecules in the cell wall.

They then measured the forces with which the individual bacterial cells



adhered to the nanostructured surfaces. These experiments showed that the <u>adhesive forces</u> diminished with increasing size of the nanostructures. While the <u>experimental work</u> was being performed, the mathematician Michael A. Klatt from the Karlsruhe Institute of Technology (now at Princeton University) carried out a very precise analysis of the silicon substrates and quantified the surface geometries using specific mathematical shape measures called Minkowski functionals. The procedure is known as 'morphometry.'

Working together, the teams were able to show that the magnitude of the experimentally determined adhesive force could be explained using geometrical parameters from the morphometric analysis. Put simply, if the roughness of the surface increases, many of the 'valleys' on the surface are no longer available as adhesion sites as they are now deeper than the length of the fluctuating molecules. There is therefore a corresponding reduction in the adhesive force between the bacterial cells and the surface.

This is an important result as it suggests that optimizing the nanostructured topography of a surface can minimize bacterial adhesion and thus reduce the likelihood of biofilm formation. The research team point out that this result can also be applied to other types of bacteria and to other types of surface. The study's findings may well help to develop novel materials and to improve existing materials that are better able to inhibit bacterial adhesion and the formation of biofilms.

The study also demonstrates the power of Minkowski functionals in characterizing the topography of a wide range of materials. The researchers believe that the broad applicability of morphometric analysis means that in future Minkowski functionals will be used as the gold standard for describing such surfaces.

More information: Christian Spengler et al, Strength of bacterial



adhesion on nanostructured surfaces quantified by substrate morphometry, *Nanoscale* (2019). DOI: 10.1039/C9NR04375F

## Provided by Saarland University

Citation: Nanostructures help to reduce the adhesion of bacteria (2019, October 10) retrieved 6 May 2024 from <u>https://phys.org/news/2019-10-nanostructures-adhesion-bacteria.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.