

Nitrogen-embedded polycyclic compound with strong antiaromaticity and stability

October 18 2019



Synthesis of antiaromatic expanded azacoronene via intramolecular Vilsmeier-type reaction which shows aromaticity switching upon redox stimuli. Credit: American Chemical Society

Nitrogen-embedded polycyclic compounds with strong antiaromaticity and stability were synthesized and isolated for the first time using pyrrole as a key unit. An expedited approach toward stable antiaromatic polycyclic compounds enables not only the revealing of its fundamental properties, but also its application to organic electronic materials.

The synthesis and isolation of a nitrogen-embedded polycyclic compound with strong antiaromaticity and [stability](#) was achieved for the

first time by a research group at Ehime University. This result was published on October 2, 2019 in the *Journal of the American Chemical Society*.

Aromaticity is one of the most important concepts in chemistry, which has the influence on [fundamental properties](#) of cyclic conjugated compounds. In general, compounds with $4n+2$ π electrons in the ring are stable due to their aromatic nature, and are widely used around us: from plastics to pharmaceuticals, and from dyes to organic electronics materials. On the other hand, antiaromatic compounds with $4n$ π electrons in the ring lack stability, and thus research on the synthesis and characterization of such compounds remains to be elucidated. In this report, an expedited approach toward a nitrogen-embedded antiaromatic compound with strong antiaromaticity and stability is presented. The new compounds were efficiently synthesized in just three steps from commercially available reagents via a substitution reaction and successive intramolecular Scholl and Vilsmeier-type reactions. Detailed investigation revealed its strong antiaromaticity and stability even in air.

Recently, polycyclic compounds have been studied as graphene-like molecules with a discrete structure. But compounds with aromaticity and antiaromaticity have been limited mainly to annulenes and porphyrins. This report presents the first nitrogen-embedded polycyclic compound with antiaromaticity. The easy access to such [compounds](#) enables not only the revealing of its fundamental properties but also its application to organic electronic materials.

More information: Kosuke Oki et al. Synthesis and Isolation of Antiaromatic Expanded Azacoronene via Intramolecular Vilsmeier-Type Reaction, *Journal of the American Chemical Society* (2019). [DOI: 10.1021/jacs.9b09260](https://doi.org/10.1021/jacs.9b09260)

Provided by Ehime University

Citation: Nitrogen-embedded polycyclic compound with strong antiaromaticity and stability (2019, October 18) retrieved 25 March 2023 from <https://phys.org/news/2019-10-nitrogen-embedded-polycyclic-compound-strong-antiaromaticity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.