

Secrets to climate change adaptation uncovered in the European corn borer moth

October 10 2019



The European corn borer exhibits variation in two genes, *per* and *Pdfr*, that enable it to adapt to varying lengths of winter. Credit: Frank Peairs, Colorado State University, Bugwood.org

A team of biologists led by Tufts University has found two genes that may permit some insect species to survive climate change by adjusting

their biological annual clocks while others succumb. The ability to synchronize behavioral, morphological and other transitions with the seasons is integral to the life cycle of most insects. In the study published today in *Current Biology*, the researchers looked at the European corn borer moth (*Ostrinia nubilalis*) and pinpointed variation in two circadian clock genes—*per* and *Pdfr*—that enable different populations of the moth to adapt their transitions to longer or shorter winters.

The length of winter is expected to decrease by a month over the next century, and as [climate change](#) is already underway, many insect species are experiencing profound effects. In some cases, [climate](#) change has contributed to the extended range of insect pests, like the *Ostrinia* moth and lanternflies, and in other cases, beneficial pollinators have declined. The authors of the study noted that despite the importance of circannual rhythms to the ability of insects to adapt to rapidly changing environments, little is known about the underlying mechanisms of this phenomenon.

Earlier springtime activity and emergence from a dormant winter state (diapause) can allow insect populations to seek out and find favourable environments and to produce more generations per year, both of which improve the survivability of the insects in the face of rapid environmental change. By conducting a broad scan of the corn borer genome among five moth populations with varying diapause, the authors found that the two genes correlating with this activity are the genes *period* (*per*) and *pigment dispersing factor receptor* (*Pdfr*). The authors further predict that intense selection on variants of these two genes is likely to be important to adaptation and range expansion under continued [global climate change](#).

"We can now start to look at these genes in other insects, to see how variation might be linked to changes in timing for when they go dormant before winter, and when they 'wake up' in the spring," said Genevieve

Kozak, first author of the study, which was the subject of her postdoctoral work in Tufts University's Department of Biology. "By knowing a little bit about the proteins these genes code for, we can start connecting [molecular mechanisms](#) to insect behaviour and physiological response to climate."

Both *per* and *Pdfr* are known to interact with circadian pacemaker neurons in insect brains, where their role is to synchronize biological activity to the daily cycles of night and day (research on *per* led to the Nobel Prize in 2017). It is interesting to note that these two [genes](#) and their products, known to coordinate short term biological cycles, have been discovered in this study to also be important for long term, annual cycles. The authors suggest a linkage between the daily clock and the seasonal timer.

"Although we still have a long way to go, the completion of the molecular picture can help biologists not just understand but possibly predict and anticipate the impact of climate change on different [insect species](#)," said Erik Dopman, professor of biology at Tufts University School of Arts and Sciences and Kozak's advisor. "We can use that information to help guide conservation and pest management efforts."

More information: Kozak, G.M., Wadsworth, C.B., Kahne, S.C. Bogdanowicz, S.M., Harrison, R.G., Coates, B.S. & Dopman, E.B. "Genomic basis of circannual rhythm in the European corn borer moth." *Current Biology* (October 10, 2019) www.biorxiv.org/content/10.1101/633362v1.full

Provided by Tufts University

Citation: Secrets to climate change adaptation uncovered in the European corn borer moth (2019,

October 10) retrieved 17 April 2024 from <https://phys.org/news/2019-10-secrets-climate-uncovered-european-corn.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.