


New silk materials can wrinkle into detailed patterns, then unwrinkle to be 'reprinted'

October 7 2019



Passing a voltage across a heating element connected to the silk bilayer expands the material and erases the wrinkle pattern (left). Cutting off voltage allows material to cool and the wrinkle pattern appears (right). Credit: Fio Omenetto, Tufts University

Researchers at Tufts University School of Engineering have developed



silk materials that can wrinkle into highly detailed patterns—including words, textures and images as intricate as a QR code or a fingerprint. The patterns take about one second to form, are stable, but can be erased by flooding the surface of the silk with vapor, allowing the researchers to "reverse" the printing and start again. In an article published today in the *Proceedings of the National Academy of Sciences*, the researchers demonstrate examples of the silk wrinkle patterns, and envision a wide range of potential applications for optical electronic devices.

The <u>smart textile</u> takes advantage of the natural ability of <u>silk</u> fiber proteins—fibroin—to undergo a change of conformation in response to external conditions, including exposure to <u>water vapor</u>, methanol <u>vapor</u> and UV radiation. Water and methanol vapor, for example, can soak into the fibers and interfere with hydrogen bond cross links in the silk fibroin, causing it to partially 'unravel' and release tension in the fiber. Taking advantage of this property, the researchers fabricated a silk surface from dissolved fibroin by depositing it onto a thin plastic membrane (PDMS). After a cycle of heating and cooling, the silk surface of the silk/PDMS bilayer folds into nanotextured wrinkles due to the different mechanical properties of the layers.

Exposing any part of that wrinkled surface to water or methanol vapor causes the fibers to relax and the wrinkles to flatten. The smooth surface transmits more than 80% of light, while the wrinkled surface only allows 20% or less through, creating a visible contrast and the perception of a printed pattern. The surface can be selectively exposed to vapor using a patterned mask, resulting in a matched pattern in the textured silk. Patterns may also be created by depositing water using inkjet printing. The resolution of this printing method is determined by the resolution of the mask itself, or the nozzle diameter of the inkjet printer.

Alternatively, use of UV creates a virtual mask, since UV exposed parts of the silk surface become less permeable to water or methanol and



remain wrinkled when treated with vapor, while the parts not exposed to UV absorb the vapor and flatten out. The printed pattern reflects the pattern of UV light exposed to the silk surface.

After erasing a pattern with vapor, the textured silk can be regenerated with a cycle of heating and cooling. The authors demonstrated the ability to print patterns over at least 50 cycles, without any diminishment in contrast or resolution.

"We can print patterns of remarkably high resolution in the silk—and we even showed that we can pick up the moisture pattern left by a fingerprint," said Yu Wang, post-doctoral fellow in the Tufts University School of Engineering, and first author of the study. "But beyond the novelty of reversible printing, there are many other functional applications that the silk patterning technology could provide."

The list of potential applications that Wang points to include materials with tunable optical properties, some of which may involve the use of dopants that allow the patterned fabric to absorb or emit different wavelengths of light and energy, or exhibit patterns only from specific angles; and materials that modulate their thermal properties, changing the amount of heat they let through. Due to the biocompatibility of the silk fibers, the micropatterning material could be used in various biomedical applications.

The study also demonstrated how the patterns could be switched on and off at will by connecting the bilayer to a small electrical heating element, transitioning the silk between wrinkled and wrinkle-free states.

"Because of its versatility, and ease of manufacture, I think there may be many future applications that we and others will come up with that we have not even imagined yet," said Fiorenzo Omenetto, corresponding author and the Frank C. Doble Professor of Engineering at Tufts' School



of Engineering.

More information: Yu Wang el al., "Controlling silk fibroin conformation for dynamic, responsive, multifunctional, micropatterned surfaces," *PNAS* (2019). www.pnas.org/cgi/doi/10.1073/pnas.1911563116

Provided by Tufts University

Citation: New silk materials can wrinkle into detailed patterns, then unwrinkle to be 'reprinted' (2019, October 7) retrieved 22 May 2024 from <u>https://phys.org/news/2019-10-silk-materials-wrinkle-patterns-unwrinkle.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.