

A symbiotic boost for greenhouse tomato plants

October 7 2019



Tomato plants that are colonized by a root fungus have a large increase in yield under saline conditions. Credit: Alamy Stock Photo

Use of saline water to irrigate crops would bolster food security for many arid countries; however, this has not been possible due to the detrimental effects of salt on plants. Now, researchers at KAUST, along with scientists in Egypt, have shown that saline irrigation of tomato is possible with the help of a beneficial desert root fungus. This represents a new key technology for countries lacking water resources.

"Salt in irrigation water is one of the most significant abiotic stresses in arid and semiarid farming," says former KAUST postdoc Mohamed Abdelaziz, who worked on the project team alongside Heribert Hirt. "Improving plant salt tolerance and increasing the yield and quality of crops is vital, but we must achieve this in a sustainable, inexpensive way."

The root fungus *Piriformospora indica* forms beneficial symbiotic relationships with many [plant species](#), and previous research indicates it boosts [plant growth](#) under salt stress conditions in barley and rice. While initial studies suggest the fungus can improve growth in tomato [plants](#) under long-term saline irrigation, the mechanisms behind the process are unclear. Also, little is known about the fungal-plant interaction throughout the entire growing season.

"Plant salt tolerance is a complex trait influenced by many factors," says Abdelaziz. "The salt-tolerance mechanism depends on the correct activation of salt tolerance genes, stresses on cell membranes and the buildup of toxic sodium ions. We monitored growth performance over four months in tomato plants colonized with *P. indica* and in an untreated control group, both grown commercial style in greenhouses. We examined genetic and enzymatic responses to salt stress in both groups."



Mohamed Abdelaziz (left) and Heribert Hirt aim to improve the salt tolerance of crop plants to enable the use of saline water for irrigation. Credit: KAUST

The main threat to plants under [salt](#) stress is the buildup of sodium ions, which affects plant metabolism, and leaf and fruit growth. For example, excessive sodium in shoots and roots disrupts levels of potassium, which is vital for multiple growth processes from germination to enzyme activation.

The team showed that colonization by *P. indica* increased the expression of a gene in leaves called *LeNHX1*, one of a family of genes responsible for removing sodium from cells. Furthermore, potassium levels in leaves, shoots and roots of the *P. indica* group were higher than in controls. *P. indica* also increased levels of antioxidant enzyme activity, offering further protection.

"Colonization with *P. indica* boosted tomato fruit yield by 22 percent under normal conditions and 65 percent under saline conditions," says

Abdelaziz. "Colonizing vegetables provides a simple, low-cost method suitable for all producers, from smallholders to large-scale farming."

More information: Mohamed E. Abdelaziz et al. Piriformospora indica alters Na⁺/K⁺ homeostasis, antioxidant enzymes and LeNHX1 expression of greenhouse tomato grown under salt stress, *Scientia Horticulturae* (2019). [DOI: 10.1016/j.scienta.2019.05.059](https://doi.org/10.1016/j.scienta.2019.05.059)

Provided by King Abdullah University of Science and Technology

Citation: A symbiotic boost for greenhouse tomato plants (2019, October 7) retrieved 1 April 2023 from <https://phys.org/news/2019-10-symbiotic-boost-greenhouse-tomato.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.