


Finally, the answer to a 'burning' 40-year-old question

October 24 2019







Inside Back Cover: Mechanism by which Tungsten Oxide Promotes the Activity of Supported V2O5/TiO2 Catalysts for NOX Abatement: Structural Effects Revealed by 51V MAS NMR Spectroscopy (Angew. Chem. Int. Ed. 36/2019) Credit: © 2019 Wiley?VCH Verlag GmbH & Co. KGaA, Weinheim

We've known for decades that catalysts speed up the reaction that reduces harmful industrial emissions. And now, we know exactly how they do it.

A recent <u>paper</u> by Israel Wachs, the G. Whitney Snyder Professor of Chemical and Biomolecular Engineering at Lehigh University's P.C. Rossin College of Engineering and Applied Science, describes the mechanism, and was the inside back cover story of the September 2, 2019, issue of *Angewandte Chemie*, a journal of the German Chemical Society.

Power plants are a major source of toxic emissions associated with climate change. When <u>fossil fuels</u> like coal and <u>natural gas</u> are burned, they produce dangerous contaminants, in particular, a group of harmful gases called nitrogen oxides (or NO_x) that contribute to <u>acid rain</u>, ground-level ozone formation, and greenhouse gases.

"The combustion process to generate energy requires very high temperatures that cause molecular nitrogen (N_2) and oxygen (O_2) present in air to disassociate or crack," says Wachs. "The N and O atoms then recombine and make NO_x , which is considered the biggest pollution problem today because it's very hard to control."

Back in the 1970s, the Japanese developed a technology to control NO_x emissions by reacting NO_x with ammonia to form harmless nitrogen (N₂) and water (H₂O).



"It's a beautiful chemical reaction, converting something very harmful to something very benign," says Wachs, who directs Lehigh's Operando Molecular Spectroscopy and Catalysis Research Lab.

NOx emissions are now strongly regulated and one common abatement strategy is the selective catalytic reduction (SCR) of <u>nitrogen oxides</u> by ammonia. Catalysts both speed up the SCR reaction and control the reaction products (such as forming N_2 and H_2O), meaning the catalyst ensures the reaction produces no undesirable harmful gases (hence "selective").

One SCR catalyst widely used by power plants is titania-supported <u>vanadium oxide</u>.

"The catalyst consists of vanadium <u>oxide</u> and tungsten oxide dispersed on the surface of a titania (TiO₂) support. The vanadium oxide is the active component performing the selective catalytic reduction towards N₂ formation and not the undesirable reaction products that can be toxic," says Wachs. "There's been a big debate raging in the literature for 40 years, right from the beginning of the development of this technology, around the question of what exactly does the tungsten oxide component do?"

The research community knew from experience that tungsten oxide thermally stabilizes the titania support, which is vital as these catalysts can spend years at high temperatures during operation. They also knew that adding tungsten oxide makes the vanadium oxide much more active, which is also important as the more active a catalyst is the less of it you need. But why did tungsten oxide have such an effect on the reactivity of vanadium oxide?

Three theories have dominated over the years, says Wachs. One claimed that tungsten oxide has an acidic character that enhances the chemical



reaction. The second said tungsten oxide was somehow sharing electrons with vanadium oxide, and the third stated that the tungsten oxide was changing the structure of the vanadium oxide.

Wachs and his collaborators used a cutting-edge instrument called a High Field (HF) Nuclear Magnetic Resonance (NMR) spectrometer in conjunction with reaction studies to test each theory.

"There are only a few of these HF NMR spectrometers in the world, and their magnetic fields are so sensitive that it gives all the subtle molecular details of what was going on in the material," he says.

Those molecular details appear as signals that Wachs and his team then interpreted using theoretical calculations (Density Functional Theory).

"It turns out that the amount of vanadium oxide is very low in the catalyst making the vanadium oxide present as isolated species, or monomers," says Wachs. "When you add the tungsten oxide, vanadium oxide changes from monomers to oligomers or polymers, so now all the vanadium oxide is connected as a chain or an island on the titania support. We performed independent studies and found that these oligomers of vanadium oxide are 10 times more active than in the isolated vanadium oxide sites. So the <u>tungsten oxide</u> really does change the structure of <u>vanadium</u> oxide, from a less active form to a highly active form."

This fundamental understanding of how the catalyst works will help guide future designs of improved SCR catalysts, says Wachs, who was recently elected as a Fellow of the National Academy of Inventors and has been recognized internationally for his innovative contributions to fundamental catalysis that have been applied in the manufacture of chemicals and control of air pollution.



"Now that we know what's going on, it won't be trial and error in terms of making it better since we take a scientific approach to the catalyst design."

And that will have huge ramifications for industry and air pollution control, he says.

"A more active catalyst has significant benefits. First of all, these systems are huge, almost the size of a small house, and a lot of these plants were built before this technology was mandated, so space at the plants is limited. So if you have a more active catalyst, you need a smaller footprint. They're also expensive, so if the catalyst is more active, you don't need as much. And finally, since we also think they'll last longer, it will limit the amount of time a plant has to shut down to install a new <u>catalyst</u>."

But for Wachs, the effect on public health is the most meaningful—and gratifying—result.

"Easily, 40,000 to 50,000 people in the United States die annually due to complications from poor air quality. So catalysis, and the research around it, has tremendous societal impact. It's very satisfying when you're able to solve a problem that's been around for 40 years, that will improve the technology, and address these health issues."

More information: Nicholas R. Jaegers et al, Inside Back Cover: Mechanism by which Tungsten Oxide Promotes the Activity of Supported V2 O5 /TiO2 Catalysts for NO X Abatement: Structural Effects Revealed by 51 V MAS NMR Spectroscopy (Angew. Chem. Int. Ed. 36/2019), *Angewandte Chemie International Edition* (2019). DOI: 10.1002/anie.201908846

Nicholas R. Jaegers et al. Mechanism by which Tungsten Oxide



Promotes the Activity of Supported V2 O5 /TiO2 Catalysts for NO X Abatement: Structural Effects Revealed by 51 V MAS NMR Spectroscopy, *Angewandte Chemie International Edition* (2019). DOI: 10.1002/anie.201904503

Provided by Lehigh University

Citation: Finally, the answer to a 'burning' 40-year-old question (2019, October 24) retrieved 24 April 2024 from <u>https://phys.org/news/2019-10-year-old.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.