


# Cell chemistry illuminated by laser light

November 5 2019

---



Raman microspectroscopy helps researchers observe cell chemistry by focusing a laser beam on a spot within a cell and then capturing light emitted after interactions with cellular molecules, which produces a molecular fingerprint (Raman spectrum). Credit: Stony Brook University

Raman microspectroscopy is a laboratory technique to produce molecular fingerprints of materials and biological specimens. However, to date fluorescence has interfered with effective application of this technique and limited its use. Now Gordon Taylor, Ph.D., a Professor in the School of Marine and Atmospheric Sciences (SoMAS) at Stony Brook University, and colleagues have devised a photochemical technique that suppresses fluorescence in sample preparation. This new technique may open the door to more efficient and highly resolved investigations of chemical distributions within individual cells. Their

findings are published in *Scientific Reports*.

Characterizing cell-to-cell and intracellular variations in biochemistry is critical to mechanistic understandings in research that covers a broad area, including cancer, human development, cell biology, antibiotics exploration, and environmental biology. Laser-based Raman microspectroscopy is among only a few tools that scientists can use to effectively observe molecular distributions within intact [individual cells](#).

Taylor and his team demonstrate how this technique overcomes analytical challenges presented by biological samples and figuratively "tears down the fluorescent curtain" in them for laser Raman microspectroscopy interrogation. Through this method they can trace cellular assimilation of isotopic tracers, document intracellular biochemical changes, and analyze diverse environmental samples.

"Previously, the samples we investigated were difficult if not impossible to analyze by Raman microspectroscopy," says Gordon. "Our new technique could prove to be a game changer for many types of cellular research."

The investigators so far have used the technique to analyze many cellular conditions, such as examining cell-to-cell variations in growth rates of phytoplankton (microalgae), observing [viral infections](#) inside phytoplankton cells, tracing movements of nutrients from marine bacteria into microbial predators, and identifying and quantifying microplastic particles in marine plankton samples.

**More information:** Elena Yakubovskaya et al. Tear Down the Fluorescent Curtain: A New Fluorescence Suppression Method for Raman Microspectroscopic Analyses, *Scientific Reports* (2019). [DOI: 10.1038/s41598-019-52321-3](https://doi.org/10.1038/s41598-019-52321-3)

Provided by Stony Brook University

Citation: Cell chemistry illuminated by laser light (2019, November 5) retrieved 23 April 2024 from <https://phys.org/news/2019-11-cell-chemistry-illuminated-laser.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.