


New material breaks world record for turning heat into electricity

November 14 2019



Prof. Ernst Bauer in the lab. Credit: TU Wien

A new type of material generates electrical current very efficiently from temperature differences. This allows sensors and small processors to supply themselves with energy wirelessly.

Thermoelectric materials can convert heat into [electrical energy](#). This is due to the so-called Seebeck effect: If there is a temperature difference between the two ends of such a material, electrical voltage can be generated and current can start to flow. The amount of electrical energy that can be generated at a given temperature difference is measured by the so-called ZT value: The higher the ZT value of a material, the better its thermoelectric properties.

The best thermoelectrics to date were measured at ZT values of around 2.5 to 2.8. Scientists at TU Wien (Vienna) have now succeeded in developing a completely new material with a ZT value of 5 to 6. It is a [thin layer](#) of iron, vanadium, tungsten and aluminum applied to a silicon crystal.

The new material is so effective that it could be used to provide energy for sensors or even small computer processors. Instead of connecting small electrical devices to cables, they could generate their own electricity from temperature differences. The new material has now been presented in the journal *Nature*.

Electricity and Temperature

"A good thermoelectric material must show a strong Seebeck effect, and it has to meet two important requirements that are difficult to reconcile," says Prof. Ernst Bauer from the Institute of Solid State Physics at TU Wien. "On the one hand, it should conduct electricity as well as possible; on the other hand, it should transport heat as poorly as possible. This is a challenge because [electrical conductivity](#) and thermal conductivity are usually closely related."

At the Christian Doppler Laboratory for Thermoelectricity, which Ernst Bauer established at TU Wien in 2013, different [thermoelectric materials](#) for different applications have been studied over the last few

years. This research has now led to the discovery of a particularly remarkable material—a combination of iron, vanadium, tungsten and aluminium.

"The atoms in this material are usually arranged in a strictly regular pattern in a so-called face-centered cubic lattice," says Ernst Bauer. "The distance between two iron atoms is always the same, and the same is true for the other types of atoms. The whole crystal is therefore completely regular."

However, when a thin layer of the material is applied to silicon, something amazing happens: the structure changes radically. Although the atoms still form a cubic pattern, they are now arranged in a space-centered structure, and the distribution of the different types of [atoms](#) becomes completely random. "Two [iron atoms](#) may sit next to each other, the places next to them may be occupied by vanadium or aluminum, and there is no longer any rule that dictates where the next iron atom is to be found in the crystal," explains Bauer.

This mixture of regularity and irregularity of the atomic arrangement also changes the electronic structure, which determines how electrons move in the solid. "The electrical charge moves through the material in a special way, so that it is protected from scattering processes. The portions of charge traveling through the material are referred to as Weyl Fermions," says Ernst Bauer. In this way, a very low electrical resistance is achieved.

Lattice vibrations, on the other hand, which transport heat from places of high temperature to places of low temperature, are inhibited by the irregularities in the crystal structure. Therefore, thermal conductivity decreases. This is important if electrical energy is to be generated permanently from a temperature difference—because if temperature differences could equilibrate very quickly and the entire material would

soon have the same [temperature](#) everywhere, the thermoelectric effect would come to a standstill.

Electricity for the Internet of Things

"Of course, such a thin layer cannot generate a particularly large amount of energy, but it has the advantage of being extremely compact and adaptable," says Ernst Bauer. "We want to use it to provide [energy](#) for sensors and small electronic applications." The demand for such small-scale generators is growing quickly: In the "Internet of Things," more and more devices are linked together online so that they automatically coordinate their behavior with each other. This is particularly promising for future production plants, where one machine has to react dynamically to another.

"If you need a large number of sensors in a factory, you can't wire all of them together. It's much smarter for the sensors to be able to generate their own power using a small thermoelectric device," says Bauer.

More information: B. Hinterleitner et al. Thermoelectric performance of a metastable thin-film Heusler alloy, *Nature* (2019). [DOI: 10.1038/s41586-019-1751-9](https://doi.org/10.1038/s41586-019-1751-9)

Provided by Vienna University of Technology

Citation: New material breaks world record for turning heat into electricity (2019, November 14) retrieved 24 April 2024 from <https://phys.org/news/2019-11-material-world-electricity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.