


A milestone in ultrashort-pulse laser oscillators

November 13 2019



A commercial thin-disk head. The disk is surrounded by monolithic prisms that route the pump beam between reflections. Credit: TRUMPF GmbH + Co. KG

With the demonstration of a sub-picosecond thin-disk laser oscillator delivering a record-high 350-watt average output power, physicists at ETH Zurich set a new benchmark and pave the path toward even more powerful lasers.

Ultrafast laser sources are at the heart of an ever-expanding range of fundamental scientific studies and [industrial applications](#), from high-field physics experiments with attosecond temporal resolution to micrometre-precision machining of materials. In order to push the envelope even further, repetition rates of several megahertz and average output powers of hundreds of watts are required. A particularly compelling route to realizing such high-power laser pulses is to generate them directly by scaling up the [power output](#) from laser oscillators rather than relying on multi-stage amplifier systems, which add a high degree of complexity; power scaling leads to robust and potentially cost-effective devices. Reporting recently in *Optics Express*, the group of Ursula Keller at the Institute of Quantum Electronics has now taken the power-scaling approach to a new level. They present a source that combines the simplicity and high repetition rates of oscillators with record-high average output power from this type of laser.

The ETH team worked with a so-called thin-disk laser oscillator, where the gain medium, the material in which the quantum processes leading to lasing take place, is shaped as a disk of around 100 micrometers thin. This geometry affords a relatively large surface area, which in turn helps cooling. Still, thermal effects remained a major bottleneck, and since 2012, the record output power stood at 275 watts.

Now, combining several advances in thin-disk [laser](#) technology developed by the Keller group, Ph.D. student Francesco Saltarelli, senior research scientist Christopher Phillips and colleagues have achieved an average output [power](#) of 350 watts, with pulses that are only 940 femtoseconds long, carry an energy of 39 microjoules and repeat at a

8.88-megahertz rate—values that are of immediate interest for applications both in science and industry.

A key aspect of the work is that the researchers found a way to enable several passes of the pump beam through the gain medium without inflicting detrimental thermal effects, and so to reduce the stress on the relevant components. The ability to control effects due to heating opened the gate to go firmly beyond the 275-W level and to set the new benchmark. The approach now developed can be taken even further though, and output powers beyond 500 watts seem realistic. With further improvements, the ETH researchers estimate, the kilowatt level might come into sight.

More information: F. Saltarelli et al, Power scaling of ultrafast oscillators: 350-W average-power sub-picosecond thin-disk laser, *Optics Express* (2019). [DOI: 10.1364/OE.27.031465](https://doi.org/10.1364/OE.27.031465)

Provided by ETH Zurich

Citation: A milestone in ultrashort-pulse laser oscillators (2019, November 13) retrieved 14 June 2024 from <https://phys.org/news/2019-11-milestone-ultrashort-pulse-laser-oscillators.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.