

## New photonic liquid crystals could lead to next-generation displays

November 8 2019, by Walt Mills



A close-up image of a mm-size Blue-phase liquid crystal during its formation stage. Credit: Khoo Lab, Penn State



A new technique to change the structure of liquid crystals could lead to the development of fast-responding liquid crystals suitable for next generation displays—3-D, augmented and virtual reality—and advanced photonic applications such as mirrorless lasers, bio-sensors and fast/slow light generation, according to an international team of researchers from Penn State, the Air Force Research Laboratory and the National Sun Yatsen University, Taiwan.

"The liquid crystals we are working with are called blue-phase liquid crystals," said Iam Choon Khoo, the William E. Leonhard Professor of Electrical Engineering, who is the corresponding author for this article. "The most important thing about this research is the fundamental understanding of what happens when you apply a field, which has led to the development of Repetitively-Applied Field technique. We believe that this method is almost a universal template that can be used for reconfiguring many similar types of liquid crystals and soft matter."

Blue-phase liquid crystals typically self-assemble into a cubic photoniccrystal <u>structure</u>. The researchers believed that by creating other structures they could develop properties not present in the current form. After nearly two years of experimentation, they realized that by applying an intermittent electrical field and allowing the system to relax between applications and to dissipate accumulated heat, they could slowly coax the crystals into stable and field-free orthorhombic and tetragonal structures.

The resulting liquid crystals show a photonic band gap that can be tailored to anywhere within the <u>visible spectrum</u>, and possess fast responses necessary for a variety of next-generation displays and advanced photonic applications. The addition of a polymer to the crystals could stabilize them in a wide temperature range, from freezing to nearly boiling-point compared to their typical pristine counterparts that are stable in only a 5 degree range. The polymer scaffold also speeds



up the switching response.

In the latest research, the team is applying the lessons learned in this study to create new crystal structures and orientations using the electric field from a laser source.

The paper, "Reconfiguration of three-dimensional liquid-crystalline photonic crystals by electrostriction," published online this week in *Nature Materials*.

**More information:** Duan-Yi Guo et al, Reconfiguration of threedimensional liquid-crystalline photonic crystals by electrostriction, *Nature Materials* (2019). DOI: 10.1038/s41563-019-0512-3

Provided by Pennsylvania State University

Citation: New photonic liquid crystals could lead to next-generation displays (2019, November 8) retrieved 12 May 2024 from <u>https://phys.org/news/2019-11-photonic-liquid-crystals-next-generation.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.