

Research sheds light on the underlying mechanics of soft filaments





A filament is clamped at the top end and prestretched by a small amount by applying a downward axial load to the bottom end. The bottom end is then twisted, keeping the axial load on the bottom end constant. After a critical amount of twist is inserted, the filament spontaneously buckles into a loopy. Credit: Nicholas Charles/Harvard SEAS

Artificial muscles will power the soft robots and wearable devices of the future. But more needs to be understood about the underlying mechanics



of these powerful structures in order to design and build new devices.

Now, researchers from the Harvard John A. Paulson School of Engineering and Applied Sciences (SEAS) have uncovered some of the fundamental physical properties of artificial muscle fibers.

"Thin soft filaments that can easily stretch, bend, twist or shear are capable of extreme deformations that lead to knot-like, braid-like or loop-like structures that can store or release energy easily," said L. Mahadevan, the Lola England de Valpine Professor of Applied Mathematics, of Organismic and Evolutionary Biology, and of Physics. "This has been exploited by a number of experimental groups recently to create prototypical artificial muscle fibers. But how the topology, geometry and mechanics of these slender fibers come together during this process was not completely clear. Our study explains the theoretical principles underlying these shape transformations, and sheds light on the underlying design principles."

"Soft fibers are the basic unit of a muscle and could be used in everything from robotics to smart textiles that can respond to stimuli such as heat or humidity," said Nicholas Charles, a Ph.D. student in Applied Mathematics and first author of the paper. "The possibilities are endless, if we can understand the system. Our work explains the complex morphology of soft, strongly stretched and twisted fibers and provides guidelines for the best designs."





A filament is clamped at the top end and prestretched by applying a downward axial load to the bottom end. After a critical amount of twist is inserted, the filament spontaneously buckles into a shape known as a solenoid. Credit: Nicholas Charles/Harvard SEAS

The research is published in *Physical Review Letters*.

Soft fibers, or filaments, can be stretched, sheared, bent or twisted. How these different actions interact to form knots, braids, and helices is important to the design of soft actuators. Imagine stretching and twisting a rubber band as tight as you can. As the twist gets tighter and tighter, part of the band will pop out of the plane and start twisting around itself into a <u>coil</u> or knot. These coils and loops, in the right form, can be harnessed to actuate the knotted fiber.

The researchers found that different levels of stretch and twist result in



different types of complex non-planar shapes. They characterized which shapes lead to kinked loops, which to tight coils, and which to a mixture of the two. They found that pre-stretch is important for forming coils, as these shapes are the most stable under stretching, and modeled how such coils can be used to produce <u>mechanical work</u>.

"This research gives us a simple way to predict how soft filaments will respond to twisting and stretching," said Charles.

"Going forward, our work might also be relevant in other situations involving tangled filaments, as in hair curls, polymer dynamics and the dynamics of magnetic field lines in the sun and other stars," said Mahadevan.

Provided by Harvard John A. Paulson School of Engineering and Applied Sciences

Citation: Research sheds light on the underlying mechanics of soft filaments (2019, November 15) retrieved 3 May 2024 from <u>https://phys.org/news/2019-11-underlying-mechanics-soft-filaments.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.