

New vaccine will stop the spread of bovine tuberculosis

November 28 2019



Credit: CC0 Public Domain

Scientists at the University of Surrey have developed a novel vaccine and complementary skin test to protect cattle against bovine tuberculosis (bovine TB).

Publishing their findings in the journal *Scientific Reports*, researchers reveal they have for the first time created a vaccine that is compatible with a synthetic form of the tuberculin skin test (PPD), a legally required test used for the surveillance of TB in [cattle](#) throughout the UK.

Bovine TB is an infectious disease in cattle affecting their lungs, and those that test positive for the disease are culled. The BCG vaccine, which is currently used to protect humans against TB and is effective in cattle, is incompatible with the PPD test. Cattle that are vaccinated with the BCG vaccine, which contains a harmless strain of the bovine TB pathogen *Mycobacterium bovis*, produce a positive PPD test for TB making it impossible to distinguish, with the PPD skin test, if the animal has TB or has simply been vaccinated.

Vaccinating cows with BCG is therefore banned in most countries in the world, enabling vets to continue to use the PPD skin test to diagnose the disease in cattle.

During this innovative study, researchers sought to make a new BCG vaccine strain that lacks some of the proteins that are shared with the pathogen *Mycobacterium bovis* by identifying genes that contain encoded immunogenic proteins that could be removed from BCG without affecting its ability to work as a live vaccine. To do this, a collection of BCG strains that had each lost a [single gene](#) were injected into cows and survival rates measured. This allowed the team to identify genes that could be removed without compromising the BCG vaccine's effectiveness.

These dispensable genes encoding immunogenic proteins were then deleted from the BCG chromosome to make a BCG-minus strain. The deleted immunogenic proteins were then used to develop a new synthetic skin test that, like PPD, will be positive for animals that have been exposed to TB but, unlike PPD, will be negative for animals that have

been vaccinated with the BCG-minus strain.

The protective efficiency of the new strain was tested in guinea pigs. It was found that TB-infected guinea pigs tested positive for the disease using the synthetic skin test whilst [guinea pigs](#) vaccinated with the BCG-minus strain did not. So, unlike PPD, the new skin test also works in animals that are protected from TB by BCG-minus vaccination. This potentially allows farmers and veterinarians to protect their animals with the new BCG vaccine, whilst still maintaining a diagnostic test that will detect TB.

Johnjoe McFadden, Professor of Molecular Genetics at the University of Surrey, said: "In order to control the spread of bovine TB, effective vaccination and accurate early diagnosis of the disease are critical. This new vaccine provides protection against bovine TB and will help in the fight against this deadly disease which infects over 50 million cattle worldwide and is economically devastating to farmers.

"The next stage of our work will be to demonstrate that both synthetic skin test and BCG-minus [vaccine](#) works in cattle herds. If they do, then it will be possible to vaccinate cattle against TB yet retain the value of skin [test](#) for diagnosis.

More information: *Scientific Reports* (2019). [DOI: 10.1038/s41598-019-54108-y](#)

Provided by University of Surrey

Citation: New vaccine will stop the spread of bovine tuberculosis (2019, November 28) retrieved 27 April 2024 from <https://phys.org/news/2019-11-vaccine-bovine-tuberculosis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.