

In the war on emerging crop diseases, scientists develop new 'War Room' simulations

November 21 2019



Sellers in the Gulu region of northern Uganda selling sweet potato vines in 2014.
Credit: Paul Rachkara

Farmers rely on seed systems for access to high-quality, disease-free planting material at the start of the season. Good seed systems ensure access to seed for a variety of crops that are affordable and fully available at the start of the season. Unfortunately, this is not a reality for many smallholder farmers in developing countries, where seed systems often serve as conduits for the spread of crop disease.

Orange-fleshed [sweet potatoes](#) are an important source of Vitamin A and a staple crop for Uganda, which is why researchers analyzed a sweet potato system in Northern Uganda for its resilience to potential introduction of a pathogen. This research evaluated the important sellers and villages in the Gulu region, analyzing their potential role for spreading [disease](#) and distributing improved varieties of [seed](#). The research team included scientists at University of Florida and Gulu University, as part of the CGIAR Research Program on Roots, Tubers and Bananas and with support from the Bill and Melinda Gates Foundation.

The researchers used this data for "War Room" style simulation analyses that highlighted the potential paths that a pathogen could take in advance of its spread. This analysis identified the villages that were best for surveillance and the best for management, in order to effectively slow pathogen spread. Their results showed that villages key for surveillance and for management were not necessarily the same.

"This is an important practical finding, as when a new pathogen is introduced into a region there is often a tradeoff between resources allocated to surveillance to detect new occurrences of the disease and to management to slow the epidemic," said Kelsey Andersen, the lead author of the study. "The findings of our study suggest that selecting locations should be done strategically to maximize the ability to stop or

slow an epidemic," said Karen Garrett, the senior author of the study.

The methods developed in this research can be applied to other plant diseases. For example, some of this research team are now applying the methods to cassava mosaic disease that is currently threatening cassava production in Southeast Asia. Similar modeling approaches can also be applied to the management of animal or human epidemics, such as the ongoing Ebola epidemic in Sub-Saharan Africa.

Emerging [pathogens](#) have the potential to spread rapidly and, because of this, methods like the one developed in this research are necessary to strategically and quickly deploy management strategies and detect the occurrence of new diseases.

More information: K. F. Andersen et al, Modeling Epidemics in Seed Systems and Landscapes To Guide Management Strategies: The Case of Sweet Potato in Northern Uganda, *Phytopathology* (2019). [DOI: 10.1094/PHYTO-03-18-0072-R](#)

Provided by American Phytopathological Society

Citation: In the war on emerging crop diseases, scientists develop new 'War Room' simulations (2019, November 21) retrieved 17 May 2024 from <https://phys.org/news/2019-11-war-emerging-crop-diseases-scientists.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--