

## New eDNA tool research helps scientists find deep sea corals

December 5 2019



Credit: CC0 Public Domain

Curtin University researchers have developed a promising new toolkit for monitoring threatened coral ecosystems by analyzing environmental DNA (eDNA) extracted from waters off the coast of the Cocos



(Keeling) Islands.

Ph.D. candidate Mr Jason Alexander, from the Coral Conservation and Research Group in the School of Molecular and Life Sciences at Curtin University, said <u>coral reef systems</u> were highly susceptible to <u>human</u> <u>activity</u> and environmental pressures with an estimated one-third of the reef-building, or scleractinian, coral listed in the elevated categories of threat on the International Union for Conservation of Nature Red List.

"Scleractinian corals not only play essential roles in <u>marine ecosystems</u> by providing a habitat and a valuable food source for many other underwater species; they also provide important services such as protecting coastal land against erosion," Mr Alexander said.

"Given the highly important role that corals play, it's important that researchers have access to accurate biodiversity and monitoring tools when analyzing these vulnerable species. Our research has provided another helpful resource to track coral biodiversity in these vulnerable and rapidly changing ecosystems."

Marine biologists will generally monitor <u>coral reefs</u> using underwater visual studies using SCUBA, which can be quite labor intensive and require a high level of expertise.

With the hope of providing an easier way to monitor reefs, the research team explored the role that eDNA metabarcoding could potentially play in assessing coral biodiversity.

Using facilities at the Trace and Environmental DNA (TrEnD) laboratory at Curtin University, researchers were able to extract, analyze and categorize genetic material taken from 90 filtered, surface water samples from the Cocos (Keeling) Islands, located approximately 1080km from Java and 2100km from the Western Australian coast.



This was the first time eDNA metabarcoding methods were used to analyze corals from the mega-diverse central Indo-Pacific oceanic region.

"Each water sample was filtered and frozen before being transported to Perth, where the eDNA was extracted and sequenced. The <u>sequence data</u> was then analyzed using computers at the Pawsey Supercomputing Centre, to successfully identify the different species present in this marine environment," Mr Alexander said.

"Through our findings, we were able to compare the different types of corals present in the water samples with those recorded visually and we found the eDNA technique is highly complementary to traditional survey techniques.

"By successfully detecting scleractinian corals in the surface water eDNA samples, this study adds to a growing body of evidence that eDNA metabarcoding is a promising method for detecting and researching marine biodiversity."

The full research paper, "Development of a multi-assay approach for monitoring coral diversity using eDNA metabarcoding," was published by *Coral Reefs*.

**More information:** Jason B. Alexander et al. Development of a multiassay approach for monitoring coral diversity using eDNA metabarcoding, *Coral Reefs* (2019). DOI: 10.1007/s00338-019-01875-9

Provided by Curtin University

Citation: New eDNA tool research helps scientists find deep sea corals (2019, December 5)



retrieved 6 May 2024 from https://phys.org/news/2019-12-edna-tool-scientists-deep-sea.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.