

Electron correlations in carbon nanostructures

December 3 2019



The graphene nanoribbon (center) consists of a single layer of honeycomb carbon atoms. The ribbon is only a few carbon atoms wide and has different electrical properties depending on its shape and width. The local density of the electrons is increased at the edges, as the dark red areas in the boxes show. Credit: Kiel University

New materials are needed to further reduce the size of electronic components and thus make devices such as laptops and smartphones faster and more efficient. Tiny nanostructures of the novel material graphene are promising in this respect. Graphene consists of a single layer of carbon atoms and, among other things, has a very high electrical conductivity. However, the extreme spatial confinement in such nanostructures influences strongly their electronic properties. A team led by Professor Michael Bonitz of the Institute for Theoretical Physics and



Astrophysics (ITAP) at Kiel University has now succeeded in simulating the detailed behavior of electrons in these special nanostructures using an elaborate computational model. This knowledge is crucial for the potential use of graphene nanostructures in electronic devices.

Precise simulation of the properties of electrons in nanostructures

Last year, two research teams succeeded independently of each other in fabricating narrow, atomically precise graphene nanoribbons and measuring their electron energies. The width of the nanoribbons varies in a precisely controlled manner. Each section of the nanoribbons has its own energy states with their own electronic structure. "However, the measurement results could not be completely reproduced by previous theoretical models," says Bonitz, who heads the Chair of Statistical Physics at ITAP. Together with his Ph.D. student Jan-Philip Joost and their Danish colleague Professor Antti-Pekka Jauho from the Technical University of Denmark (DTU), they developed an improved model which led to an excellent agreement with the experiments. The physicists present their theoretical results in the current issue of the renowned journal *Nano Letters*.

The basis for the new and more precise computer simulations was the assumption that the deviations between the experiment and previous models were caused by the details of the mutual repulsion of the electrons. Although this Coulomb interaction also exists in metals, and indeed was included in earlier simulations in a rough way, the effect is much greater in the small graphene nanoribbons, and requires a detailed analysis. The electrons are expelled from their original energy states and have to 'search' for other places, as Bonitz explains: "We were able to prove that correlation effects due to the Coulomb interaction of the electrons have a dramatic influence on the local energy spectrum".



The shape of nanoribbons determines their electronic properties

How the permissible energy values of the electrons depend on the length, width, and shape of the nanostructures has been clarified by the team by investigating many such nanoribbons. "The energy spectrum also changes when the geometry of the nanoribbons, their width, and shape, is modified," adds Joost. "For the first time, our new data allow precise predictions to be made as to how the energy spectrum can be controlled by specifically varying the shape of the nanoribbons," says Jauho from the DTU in Copenhagen. The researchers hope that these predictions will now also be tested experimentally and lead to the development of new nanostructures. Such systems can make important contributions to the further miniaturisation of electronics.

More information: Jan-Philip Joost et al, Correlated Topological States in Graphene Nanoribbon Heterostructures, *Nano Letters* (2019). DOI: 10.1021/acs.nanolett.9b04075

Provided by Kiel University

Citation: Electron correlations in carbon nanostructures (2019, December 3) retrieved 28 June 2024 from <u>https://phys.org/news/2019-12-electron-carbon-nanostructures.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.