

# Towards high quality zinc oxide quantum dots for biomedical applications

December 3 2019

---



Researchers from IPC PAS, WUT and IRIG compared the structures of the organic layers that stabilize ZnO QDs prepared by both methods (i.e. the commonly used sol-gel method and OSSOM approach developed in Warsaw). We tried to present the essence of our research as a) chaotically arranged, differently-coloured hands - characteristic for sol-gel derived ZnO QDs, and b) hands arranged in pairs, very regularly around the core, which is characteristic for ZnO QDs prepared by the OSSOM method. Credit: IPC PAS, G.Krzyzewski

Nanocrystalline zinc oxide (ZnO) is currently one of the most commonly used semiconductor metal oxide nanomaterials due to its unique catalytic

and electro-optical characteristics. The inherent and distinctive physicochemical properties of ZnO nanostructures are dependent on a variety of factors that are determined by the applied synthetic procedure and the character of the resulting nanocrystal-ligand interface. Thus, the preparation of stable ZnO nanostructures, especially nanoparticles with sizes below 10 nm, i.e. quantum dots (QDs), with desired physicochemical properties still remains a huge challenge for chemists.

Recently, scientists from the Institute of Physical Chemistry of the Polish Academy of Sciences (IPC PAS) and Warsaw University of Technology (WUT) in cooperation with the Interdisciplinary Research Institute of Grenoble (IRIG) used dynamic nuclear polarization (DNP)-enhanced [solid state nuclear magnetic resonance](#) (NMR) spectroscopy for detailed characterization of the organic-inorganic interfaces of ZnO QDs prepared by the traditional sol-gel process and the recently developed one-pot self-supporting organometallic (OSSOM) procedure. In parallel, investigations were carried out on the design and preparation of bio-stable ZnO QDs along with the determination of their structure-biological activity relationship. These studies were published in the high-impact journals *Angewandte Chemie* and *Scientific Reports*.

"We wanted to unambiguously confirm that ZnO QDs prepared in our laboratory using the OSSOM approach are of unprecedentedly high quality," recounts co-author of both papers, Dr. Magorzata Wolska-Pietkiewicz. "Up to now, ZnO QDs have been commonly produced by a sol-gel process. However, the main disadvantage of this traditional method is the low reproducibility, which likely inhibits both the uniformity of particle morphology and organic ligand shell composition. Consequently, the resulting nanostructures are essentially unstable and tend to aggregate. In my opinion, this has significantly limited potential applications of nanocrystalline ZnO in various technologies," adds Dr. Wolska-Pietkiewicz.

"An alternative to the omnipresent sol-gel method are highly promising wet-organometallic approaches. Recently developed in our laboratory, the OSSOM procedure is based on the controlled exposition of a well-defined organozinc precursor to air. The OSSOM process is thermodynamically controlled and occurs at room temperature," says Professor Janusz Lewinski. To highlight the superiority of the organometallic approach for the preparation of ZnO QDs, both the procedure-driven properties as well as the structures of the organic ligand shells of QDs prepared by both the OSSOM approach and the sol-gel procedure were compared. For this purpose scientists applied the DNP-NMR method that is being developed in the group of Dr. Gaël De Paëpe (IRIG).

"This NMR technique allows us to study nanomaterials' interfaces with atomic precision and thus to demonstrate the difference between tested materials," continues Dr. Daniel Lee and adds that the ability to determine the exact nature and structure of the interface gives a valuable insight into future designs for new and fully stable functional nanomaterials. In addition, DNP-NMR measurements are relatively fast and take only a few hours. This really isn't much, especially compared to conventional NMR spectroscopy, which (in the case of measurements with comparable resolution) would require ... about a year.

"The OSSOM method leads to the formation of ZnO QDs coated with strongly anchored and highly-ordered organic coatings. Contrastingly, on the surface of sol-gel derived ZnO nanostructures, coating ligand molecules are randomly distributed," Dr. Wolska-Pietkiewicz points out. What is more, ligands could be easily removed from the surface of QDs derived from sol-gel process, changing the properties of the resulting nanomaterial. "In our method, the surface is super-protected, and QDs are stable. As a result, the OSSOM approach affords high-quality ZnO QDs with unique physicochemical properties, which are prospective for biological applications," adds Dr. Wolska-Pietkiewicz.



The research conducted at the IPC PAS enabled resolving the vastly different nanocrystal-ligand interfaces structure of ZnO NCs. In the photo: Dr. Małgorzata Wolska-Pietkiewicz presenting a "perfect" ZnO nanoparticle emerging from a symbolic reaction mixture (balloons). Credit: IPC PAS, G.Krzyzewski

### Why is it so important?

"This preliminary study has only just scratched the surface (pun intended) of what can be achieved," says Dr. Lee. "We have shown that being able to study nanomaterials' surface stability at an atomic scale enables the understanding of how to provide their stability, which is extremely important from the point of view of subsequent applications:



from sensors and optical devices to targeted [drug delivery](#) and nanomedicines."

"In the near future, we could design, for example, safe and effective drug nanocarriers for cancer therapies, in which we would be able to deposit appropriately selected, active molecules within our ordered organic layer. Positioning is important especially for targeted therapies, e.g. photodynamic therapy, because it allows the drug to be released evenly in a particular environment and at the right speed. In addition, owing to the achieved ligands ordering, we are able to pack a lot of active drug particles on a small carrier," adds Professor Lewinski.

**More information:** Daniel Lee et al, Disclosing Interfaces of ZnO Nanocrystals Using Dynamic Nuclear Polarization: Sol-Gel versus Organometallic Approach, *Angewandte Chemie International Edition* (2019). [DOI: 10.1002/anie.201906726](https://doi.org/10.1002/anie.201906726)

Provided by Polish Academy of Sciences

Citation: Towards high quality zinc oxide quantum dots for biomedical applications (2019, December 3) retrieved 3 May 2024 from <https://phys.org/news/2019-12-high-quality-zinc-oxide-quantum.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.