

## **Overuse of herbicides costing UK economy GBP400 million per year**

December 23 2019







Black-grass at a medium level in winter wheat field. Credit: Helen Hicks

Scientists from international conservation charity ZSL (Zoological Society of London) have for the first time put an economic figure on the herbicidal resistance of a major agricultural weed that is decimating winter-wheat farms across the UK.

A vital ingredient in mince pies, biscuits and stuffing—and of course, with a large amount fed to turkeys, the future of Christmas dinners containing wheat could be at risk, with the persistent weed making its way across British fields.

Black-grass (*Alopecurus myosuroides*) is a native annual weed, which although natural, large infestations of it in farmers' fields can force them to abandon their <u>winter wheat</u>—the UK's main cereal crop. Farmers have been using herbicides to try and tackle the black-grass problem—but in many areas of England the agricultural weed is now resistant to these herbicides. The cost of black-grass heralded as "Western Europe's most economically significant weed," is setting back the UK economy £400 million and 800,000 tonnes of lost wheat yield each year, with potential implications for national food security.

Published in *Nature Sustainability* today (23 December 2019), researchers from ZSL's Institute of Zoology, Rothamsted Research and Sheffield University have devised a new model which helps quantify the economic costs of the resistant weed and its impact on yield under various farming scenarios.

An estimated four million tonnes of pesticide are applied to crops worldwide each year. There are 253 known herbicide-resistant weeds already, and unlike the known-costs to the economy of human antibiotic



resistance—which runs into trillions of dollars—estimates of the costs of resistance to agricultural xenobiotics (e.g. antimycotics, pesticides) are severely lacking.



# The high cost of HERBICIDE RESISTANCE

## **£0.4 billion in lost income for farmers** due to just one weed: black-grass

#### Cost per hectare

In high weed density areas the economic cost\* of resistant black-grass can be about £450 per hectare or 37% of potential gross profit. At low weed density, the cost is around 7% / £75 per hectare.

### 820,000 Tonnes of wheat

lost due to herbicide resistant black-grass

THAT'S ABOUT 1.2 BILLION LOAVES OF BREAD

\*average cost of resistance in winter wheat crops. Pie-chart as fraction of average regional gross profit per hectare. 8% £387 240 £270 19%

£88

## WHAT CAN BE DONE?



Coordinate resistance management at the national scale

**TAKE ACTION** 



**REDUCE USE** 

Reduce use and reliance on herbicides



DIVERSIFY

Use a diversity of crops and management practices to prevent and manage resistance



MONITOR

Impacts of reduced resistance on agronomic, economic and environmental performance.



Black-grass impacts. Credit: Rothamsted Research

Over-<u>use of herbicides</u> can lead to poor water quality and causes loss of wild plant diversity and indirect damage to surrounding invertebrate, bird and mammal biodiversity relying on the plants.

The ZSL research found the UK is losing 0.82 million tonnes in wheat yield each year (equivalent to roughly 5% of the UK's domestic wheat consumption) due to herbicide resistant black-grass. The worst-case scenario—where all fields contained large amounts of resistant black-grass—is estimated to result in an annual cost of £1 billion, with a wheat yield loss of 3.4 million tonnes per year.

Lead author and postdoctoral researcher at ZSL's Institute of Zoology, Dr. Alexa Varah said: "This study represents the first national-scale estimate of the economic costs and yield losses due to herbicide resistance, and the figure is shockingly higher than I think most would imagine.

"We need to reduce pesticide use nationwide, which might mean introducing statutory limits on <u>pesticide use</u>, or support to farmers to encourage reduced use and adoption of alternative management strategies. Allocating public money for independent farm advisory services and research and development could help too."

Management industry recommendations have so far advised using a mixture of herbicides, designed to prevent the evolution of 'specialist' resistance, however alarmingly recent research has revealed that this method actually alters the type of resistance to a more generalist resistance, giving resistance to chemicals the plants have never been



exposed to.



Lead Researcher Dr Alexa Varah carrying out fieldwork. Credit: ZSL

Glyphosate is now one of the few herbicides that black-grass has not evolved resistance to, with farmers now reliant on repeated applications to control the weed. However, evidence from a recent study shows that resistance to glyphosate is now evolving in the field too.

Dr. Varah added, "Farmers need to be able to adapt their management to



implement more truly integrated pest management strategies—such as much more diverse crop rotations and strict field hygiene measures.

"Currently resistance management is the responsibility of individual practitioners, but this isn't a sustainable approach. It should be regulated through a national approach, linking the economic, agricultural, environmental and health aspects of this issue in a National Action Plan—that also targets <u>glyphosate</u> resistance.

"Understanding the economic and potential <u>food security</u> issues is a vital step, before looking at biodiversity, carbon emissions and water quality impacts in greater detail. We hope to use this method to aid the development of future models to help us understand how British farmers battling black-grass could do it in a way that is more beneficial to biodiversity like insects, mammals, wild plants and threatened farmland bird species like skylarks, lapwing and tree sparrows—unearthing how their numbers are linked to changes in farming practices."

**More information:** Varah, A., Ahodo, K., Coutts, S.R. et al. The costs of human-induced evolution in an agricultural system. *Nat Sustain* (2019) DOI: 10.1038/s41893-019-0450-8

Provided by Zoological Society of London

Citation: Overuse of herbicides costing UK economy GBP400 million per year (2019, December 23) retrieved 25 April 2024 from <u>https://phys.org/news/2019-12-overuse-herbicides-uk-economy-gbp400.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.