

## Can a special diet save the endangered southern corroboree frog?

December 19 2019, by Ben Long



Dr Aimee Silla from the University of Wollongong's Evolution and Assisted Reproduction Laboratory with a southern corroboree frog. Credit: Paul Jones, UOW

A University of Wollongong-led research team has released 115 southern corroboree frogs into a remote part of Kosciusko National Park. They are studying whether frogs fed dietary carotenoids in



captivity have improved rates of survival and reproduction once released into the wild.

Carotenoids are the nutrient-rich plant pigments that give some fruits and vegetables their red, yellow and orange hues. The released frogs were reared at UOW and provided a special diet of carotenoids.

"By manipulating diet we may be able to improve a frog's prospects of survival and reproductive success once released back into the wild," project leader Associate Professor Phillip Byrne said.

"In captivity, carotenoids improve colouration, exercise performance, the diversity of beneficial microbes on the skin, and recovery from hibernation, all of which should help their prospects of survival."

Frogs with brighter colours are likely to deter predators as the yellow in the corroboree frogs' distinctive yellow-and-black patterning signals toxicity. Additionally, a greater diversity and abundance of skin microbes is believed to assist with <u>disease resistance</u>.

Prior to the release there were, by some estimates, as few as 50 adult southern corroboree frogs left in the wild. Without <u>human intervention</u>, the critically endangered species could soon become extinct.





A southern corroboree frog. Credit: Paul Jones, UOW

The team used a helicopter to access a secret location in a remote area of the national park, surrounded by impenetrable scrub. They released the frogs into several large (8m diameter) ring enclosures, custom-built by the NSW Department of Planning, Industry and Environment (DPIE).

"The frogs were transported in large containers, then individually released so that their exploration behaviour could be video recorded and later quantified using sophisticated behavioural analysis software," Professor Byrne said.

"We have previously shown that corroboree frogs have personality along the exploration axis, so we expect that some frogs will explore their new environment more rapidly than others."

The survival and viability of frogs will be monitored every few months for the next few years. The researchers will also monitor whether the frogs are breeding successfully.



"Our team set up CCTV cameras to film the enclosures and identify individuals by their unique patterns. In addition, enclosures will be searched for frogs," Professor Byrne said.



Southern corroboree frogs being released into Kosciusko National Park. Credit: Phillip Byrne, UOW

"During the summer breeding season males make nests in the moss and then remain with the eggs. Thus we can locate the males using their advertisement calls, then check their nests for eggs."

If successful, the program could benefit endangered frog species worldwide.



"The concept of manipulating micronutrients in the captive diet to improve post-release survival and performance could be applied to threatened <u>frog species</u> worldwide," Professor Byrne said.

Professor Byrne and his colleague Dr. Aimee Silla from UOW's Evolution and Assisted Reproduction Laboratory are leading the project, teaming up with UOW carotenoid function expert Senior Professor Sharon Robinson, Taronga Zoo's Herpetofauna department head Michael McFadden, DPIE's Threatened Species Officer Dr. David Hunter, and Deakin University's Professor John Endler, a world leader in evolutionary biology.

Provided by University of Wollongong

Citation: Can a special diet save the endangered southern corroboree frog? (2019, December 19) retrieved 25 June 2024 from <u>https://phys.org/news/2019-12-special-diet-endangered-southern-corroboree.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.