


Submarine cables: billions of potential seismic sensors

December 18 2019



Seismic waves generated by a 1.9 magnitude earthquake located north of Fréjus (Var), recorded along the 41 km-long fibre optic cable deployed on the seafloor off Toulon. In the recording on the right, each line corresponds to a measuring point located along the cable, from the coast (at top) to the open ocean (at bottom). (The 41 km of cable are the equivalent of over 6000 sensors). The difference in the arrival time of the waves at the various measuring points is used to pinpoint the location of the earthquake. Credit: Diane Rivet


Scientists have for the first time shown that it is possible to detect the

propagation of seismic waves on the seafloor using submarine telecommunications cables. According to their observations, this existing infrastructure could be used to detect earthquakes, as well as swell and underwater noise. The results are published in the journal *Nature Communications* on December 18, 2019, by researchers from the CNRS, OCA, IRD and Université Côte d'Azur working together in the Géoazur laboratory, in collaboration with the company Fébus Optics and the Centre de Physique des Particules de Marseille (CNRS/Aix-Marseille Université).

The [ocean floor](#) is criss-crossed by 1.2 million kilometers of telecommunications cables (three times the distance from the Earth to the Moon). Made up of optical fibers, they facilitate much of our communication by telephone, SMS and e-mail. And they could soon take on a new role, that of detecting acoustic and seismic waves.

Here, the scientists used a 41 km-long [cable](#) deployed off the coast of Toulon in southern France to retrieve data from the sensors of the MEUST-NUMerEnv underwater observatory at a depth of 2500 m. The method they developed takes advantage of small impurities in the optical fibers, which send part of the light they carry back to the transmitter. By stretching or contracting the fiber, the passage of a seismic or acoustic wave alters the distance between these impurities, and thus the backscattered signal, by a tiny amount. Yet, they needed to prove that these differences were detectable since, in submarine cables, the optical fibers are surrounded by several insulating layers.

By injecting pulses of light into an optical fiber and analyzing the backscattered signal, the team converted the 41 km of optical fiber into more than 6000 seismic sensors. A magnitude 1.9 earthquake that occurred during the trial was detected at each of the measuring points with a sensitivity close to that of a coastal seismic station, even though it was located over 100 km from the cable (Figure 1).



Animation showing the effect of swell recorded along the first eight kilometres of optical fibre. Credit: Diane Rivet

But that's not all: the measuring points are also sensitive to waves that travel through the ocean, such as those produced by swell. The authors recorded the impact of waves on the seafloor near the coast, as well as their effect on the abyssal plain, where they generate "seismic background noise." The sensors made it possible to observe for the first time how these very small vibrations, which constantly interact with the Earth's interior, are produced, enabling geophysicists to probe its structure.

The researchers believe that a telecom cable, rather like a string of microphones, could in the same way detect underwater noise produced by ships and cetaceans.

Faced with the logistic and financial challenge of deploying instrumentation on the seafloor, telecom cables could provide a way of improving our understanding of this terra incognita covering two thirds

of the Earth's surface, and address a wide range of scientific and societal issues, such as earthquakes, coastal erosion, interaction between life, the oceans and the solid Earth, etc.

A certain number of cables currently in operation will be phased out by telecommunications operators over the coming years. Thanks to this research, they could soon take on a second life.

More information: *Nature Communications* (2019). [DOI: 10.1038/s41467-019-13793-z](https://doi.org/10.1038/s41467-019-13793-z)

Provided by CNRS

Citation: Submarine cables: billions of potential seismic sensors (2019, December 18) retrieved 23 May 2024 from <https://phys.org/news/2019-12-submarine-cables-billions-potential-seismic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.