


Artificial cells react to environmental changes

January 23 2020



Synthetic cells with compartments. Magenta shows the lipid membrane, cyan shows the fluorescently tagged membrane-free sub-compartments. Credit: MPI-CBG/ Love et al.

Cells are the basic unit of life. They provide an environment for the fundamental molecules of life to interact, for reactions to take place and sustain life. However, the biological cell is very complicated, making it difficult to understand what takes place inside it. One way to tackle this biological problem is to design a synthetic minimal cell as a simpler system compared to biological cells. Researchers at the Max Planck Institute of Molecular Cell Biology and Genetics in Dresden and the Max-Planck-Institute of Colloids and Interfaces in Potsdam accomplished such an engineering challenge by building a synthetic cell that can encapsulate fundamental biochemical reactions. They also show that such a minimal system can respond to changes in environment.

Cells make up the basic building blocks of life. They provide a distinct and dynamic environment for the organization of [molecules](#) and reactions that are needed to sustain life. Inside the cell there are countless molecules including DNA, proteins, sugars, and fats (lipids) that need to come together in different ways. To understand, how [cells](#) organize all these components to function in a complex environment, scientists have been building synthetic cells with fewer components to engineer simple systems that mimic certain cellular processes. This research field of synthetic [biology](#) combines engineering and biology and focuses on taking parts of the natural biological system and simplifying it.

Despite much progresses in the synthetic biology field, building dynamic systems is still very difficult. The research team, funded through the MaxSynBio network, made up of Dora Tang from the Max Planck

Institute of Molecular Cell Biology and Genetics in Dresden in collaboration with Rumiana Dimova and Tom Robinson from the Max-Planck-Institute of Colloids and Interfaces have now built a synthetic cell that can react to changes in the environment. The researchers constructed a compartment with a membrane that contains a membrane-free sub-compartment inside it. This sub-compartment can assemble and disassemble depending on changes to the environment.

Responsive sub-compartments

The key challenge during this process was to create a sub-compartment from molecules that were floating within the synthetic cell. These cells were visualized by fluorescence microscopy. Celina Love, the first author of the study, explains: "Just like our [taste buds](#) can let us experience tastes that are salty or sour, components inside a cell can also respond to the acidity of an environment. We found that by changing the pH of the environment, we can affect the behavior of molecules coming together and their ability to form sub-compartments. It was especially exciting to see how chemical reactions could be switched on and off by changing the acidity within the synthetic cell."

Dora Tang, the supervisor of the study, gives an outlook: "Our work is a major step forward in the design of more complex synthetic cells that can mimic biological behaviors. This tunable synthetic system presents exciting possibilities in addressing fundamental questions in biology, such as how cells integrate a multitude and variety of signals from the [environment](#) to perform and tune basic cellular functions such as metabolism."

More information: Celina Love et al. Reversible pH responsive coacervate formation in lipid vesicles activates dormant enzymatic reactions, *Angewandte Chemie International Edition* (2020). [DOI: 10.1002/anie.201914893](https://doi.org/10.1002/anie.201914893)

Provided by Max Planck Society

Citation: Artificial cells react to environmental changes (2020, January 23) retrieved 13 March 2024 from <https://phys.org/news/2020-01-artificial-cells-react-environmental.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.