


Making new catalysts from unique metallic alloys

January 17 2020



Tsai and his colleagues believe materials informatics, which uses big data to discover new materials, could be particularly relevant for the discovery of new catalysts from Heusler alloys because of their well-defined arrangement. Credit: xraygd

Heusler alloys are magnetic materials made from three different metals that are not magnetic individually. The alloys are used broadly for their magnetic and thermoelectric properties, and their ability to regain their original shape after being deformed, known as shape memory.

Investigations by Tohoku University's advanced materials scientist An-Pang Tsai and colleagues now show that these materials can also be fine-tuned to speed up chemical reactions. This catalytic capability is reviewed in the journal *Science and Technology of Advanced Materials*.

Heusler alloys have a typical composition of two parts [metal](#) X, one part metal Y, and one part metal Z (X_2YZ). Each of the three come from a distinct region of the periodic table of elements. The original Heusler alloy, discovered in 1898, was Cu_2MnAl , made from copper, manganese and aluminium. Many other combinations of metals were later found within the X_2YZ arrangement.

While Tsai and his colleagues were investigating another type of structure, called quasicrystals, in the late 1980s, they created a series of new compounds by substituting existing elements with others from their same groups in the periodic table, as long as they had a similar atomic size. They later applied this concept to fabricate a large number of new Heusler alloys.

Tsai and his colleagues investigated the potential of 12 Heusler alloys as catalysts for propyne hydrogenation, a reaction that is used in the plastics industry, and for the oxidation of carbon monoxide, an important process for controlling pollution. They used relatively inexpensive elements to fabricate their alloys and found promising catalysts that were very selective for propyne hydrogenation. These involved a combination of cobalt for metal X, manganese or iron for metal Y, and gallium or germanium for metal Z. The team suspected that the alloys' catalytic

properties could be fine-tuned for specific target reactions. They also found that metal X is the main active element in these reactions, while elements Y and Z are involved in the catalyst's activity, selectivity and durability. Some alloys, like one made from cobalt, titanium and tin, also showed promise for carbon monoxide oxidation.

Tsai and his colleagues believe materials informatics, which uses big data to discover new materials, could be particularly relevant for the discovery of new catalysts from Heusler alloys because of their well-defined arrangement.

Future research is expected to focus on incorporating nanoparticles containing catalytic elements into the crystal lattice of Heusler [alloys](#). This would increase the [surface area](#) available for catalytic reactions, improving the material's catalytic activity.

"It was Professor Tsai's passion to play with elements and create new materials, with huge successes from early on," says Alok Singh of Japan's National Institute for Materials Science. "He has patented his recent works, and we hope to see them in operation in collaboration with industry. In the meantime, his colleagues will keep working on their development, with their progress inspiring further work."

More information: Takayuki Kojima et al. The emergence of Heusler alloy catalysts, *Science and Technology of Advanced Materials* (2019). [DOI: 10.1080/14686996.2019.1598238](https://doi.org/10.1080/14686996.2019.1598238)

Provided by National Institute for Materials Science

Citation: Making new catalysts from unique metallic alloys (2020, January 17) retrieved 2 May 2024 from <https://phys.org/news/2020-01-catalysts-unique-metallic-alloys.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.