

Coral genes go with the flow further than expected

January 30 2020



The Red Sea is home to one of the longest coral reef systems on the planet and a wide diversity of marine life. Credit: Lily Genevier

The southern Red Sea is more readily connected with the Indian Ocean than with the northern Red Sea, according to simulations carried out at KAUST. This helps explain genetic patterns seen in the Red Sea and highlights the need for a collaborative regional approach to marine conservation.

The Red Sea is home to one of the longest coral reef systems on the



planet and a wide diversity of marine life. Previous studies have identified a clear genetic break in the Red Sea between northern and southern parts of the sea. While this could be partially explained by the north-south environmental gradient in the Red Sea, the contribution of physical connectivity within the Red Sea remained unclear.

An international team led by KAUST researchers used particle tracking simulations to investigate the physical connectivity within the Red Sea and with nearby regions. They simulated the release of millions of particles in the southern Red Sea using a circulation-based particle tracking model to trace the movement of the particles back in time to figure out where they had come from.

The simulations showed that the southern Red Sea is more connected with regions in the Indian Ocean than with the northern Red Sea. Influx through the Bab-El-Mandeb strait is a major transport stream into the southern Red Sea, connecting it strongly with the Gulf of Aden. "By revealing the dynamic linkages between the southern Red Sea and the Indian Ocean, our research provides a possible explanation for the genetic separation in the Red Sea from a physical connectivity perspective," says Ph.D. student Yixin Wang, first author of the study.

The connectivity pattern proved to be seasonal, with stronger links during the winter and a weaker connection in the summer. "This could affect the genetic distribution of different species because species that spawn in the winter in the Gulf of Aden would have a stronger genetic connection with the southern Red Sea than those that spawn in summer," says Ibrahim Hoteit, who led the study.

The simulations also showed links between the southern Red Sea with more distant regions, such as the coast of Somalia, Oman and Socotra, and even as far as Kenya, Tanzania and Madagascar. "We expected to see some connections with these <u>remote areas</u>, but our results revealed



stronger (for example, Somalia) and further (for example, Madagascar) connections than we expected," says Wang. "Marine conservation should be conducted under a co-operative framework between the countries involved, and <u>ocean</u> management units should transcend jurisdictional boundaries."

More information: Yixin Wang et al. Physical connectivity simulations reveal dynamic linkages between coral reefs in the southern Red Sea and the Indian Ocean, *Scientific Reports* (2019). <u>DOI:</u> 10.1038/s41598-019-53126-0

Provided by King Abdullah University of Science and Technology

Citation: Coral genes go with the flow further than expected (2020, January 30) retrieved 20 June 2024 from <u>https://phys.org/news/2020-01-coral-genes.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.