

Emissions of potent greenhouse gas rises, contradicting reports of huge reductions

January 21 2020



Credit: CC0 Public Domain

Despite reports that global emissions of the potent greenhouse gas hydrofluorocarbon (HFC) were almost eliminated in 2017, an international team of scientists, led by the University of Bristol, has found atmospheric levels growing at record values.

Over the last two decades, scientists have been keeping a close eye on

the atmospheric concentration of a hydrofluorocarbon (HFC) gas, known as HFC-23. This gas has very few industrial applications. However, levels have been soaring because it is vented to the atmosphere during the production of another chemical widely used in cooling systems in developing countries.

Scientists are concerned, because HFC-23 is a very potent greenhouse gas, with one tonne of its emissions being equivalent to the release of more than 12,000 tonnes of carbon dioxide. Starting in 2015, India and China, thought to be the main emitters of HFC-23, announced ambitious plans to abate emissions in factories that produce the gas. As a result, they reported that they had almost completely eliminated HFC-23 emissions by 2017.

In response to these measures, scientists were expecting to see global emissions drop by almost 90 percent between 2015 and 2017, which should have seen growth in atmospheric levels grind to a halt. Now, an international team of researchers has shown that concentrations increased, setting an all-time record in 2018. The paper is published today in *Nature Communications*.

Dr. Matt Rigby, who co-authored the study, is a reader in atmospheric chemistry at the University of Bristol and a member of the Advanced Global Atmospheric Gases Experiment (AGAGE), which measures the concentration of greenhouse gases around the world. He said, "When we saw the reports of enormous emissions reductions from India and China, we were excited to take a close look at the atmospheric data. This potent greenhouse gas has been growing rapidly in the atmosphere for decades now, and these reports suggested that the rise should have almost completely stopped in the space of two or three years. This would have been a big win for climate."

The fact that this reduction has not materialized, and that, instead, global

emissions have actually risen, is a puzzle that may have implications for the Montreal Protocol, the international treaty that was designed to protect the stratospheric ozone layer. In 2016, Parties to the Montreal Protocol signed the Kigali Amendment, aiming to reduce the climate impact of HFCs, whose emissions have grown in response to their use as replacements to ozone depleting substances.

Dr. Kieran Stanley, the lead author of the study, visiting research fellow in the University of Bristol's School of Chemistry and a post-doctoral researcher at the Goethe University Frankfurt, added, "To be compliant with the Kigali Amendment to the Montreal Protocol, countries who have ratified the agreement are required to destroy HFC-23 as far as possible. Although China and India are not yet bound by the amendment, their reported abatement would have put them on course to be consistent with Kigali. However, it looks like there is still work to do. Our study finds that it is very likely that China has not been as successful in reducing HFC-23 emissions as reported. However, without additional measurements, we can't be sure whether India has been able to implement its abatement program."

Had these HFC-23 emissions reductions been as large as reported, the researchers estimate that the equivalent of a whole year of Spain's CO₂ emissions could have been avoided between 2015 and 2017.

Dr. Rigby added, "The magnitude of the CO₂-equivalent emissions shows just how potent this greenhouse gas is. We now hope to work with other international groups to better quantify India and China's individual emissions using regional, rather than global, data and models."

Dr. Stanley added: "This is not the first time that HFC-23 reduction measures attracted controversy. Previous studies found that HFC-23 emissions declined between 2005 and 2010, as developed countries funded abatement in developing countries through the purchase of

credits under the United Nations Framework Convention on Climate Change Clean Development Mechanism. However, while in that case, the atmospheric data showed that emissions reductions matched the reports very well, the scheme was thought to create a perverse incentives for manufacturers to increase the amount of waste gas they generated in order to sell more credits."

More information: K. Stanley, et al. Increase in global emissions of HFC-23 despite near-total expected reductions, *Nature Communications*, 2020.

Provided by University of Bristol

Citation: Emissions of potent greenhouse gas rises, contradicting reports of huge reductions (2020, January 21) retrieved 18 April 2024 from <https://phys.org/news/2020-01-emissions-potent-greenhouse-gas-contradicting.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.