

Modern face of Homo antecessor may have had insufficient room for wisdom teeth

January 20 2020



Credit: CENIEH

A study led by the University of Bordeaux and the Dental Anthropology



Group of the Centro Nacional de Investigación sobre la Evolución Humana (CENIEH), which has been published this week in the *American Journal of Physical Anthropology*, reveals that the species Homo antecessor, found in level TD6 of the Gran Dolina site in the Sierra de Atapuerca (Burgos), already endured the drawbacks of having insufficient space for the third molar or wisdom tooth to erupt.

Analysis of the maxilla ATD6-69, "the face" of Homo antecessor, using high-resolution techniques such as micro-computed tomography carried out at the CENIEH, has enabled the identification of signs matching ectopic development, that is, outside the proper location for the third molar, and the secondary impacting pf the second molar with its retention within the alveolar bone. "Specifically, the <u>wisdom tooth</u> was undergoing development upon the crown of the second molar," says Laura Martín-Francés, principal author of this study.

In this study, the hypothesis of whether the ectopic molar of this individual, whose approximate age was 10 years, was due to a combination of factors such as the characteristic modern face and the large size of the teeth of this child from Atapuerca, is discussed for the first time. This peculiarity would have led to the lack of space for the normal development of the wisdom tooth and the consequent retention of the second molar.

"While the particular evolution in this individual is unknown, the prognosis in these cases includes the development of caries, periodontitis and even cysts. Thus, we can be sure that around one million years ago, this person would have suffered from severe toothache," affirms Martín-Francés.

For the moment, evidence of this anomaly is only known from a single individual of this species, although the imminent excavation of the entire surface of level TD6 at Gran Dolina will offer new fossil remains to find



out whether this circumstance was typical of Homo antecessor due to its modern face.

More information: Laura Martín-Francés et al. Ectopic maxillary third molar in Early Pleistocene Homo antecessor from Atapuerca-Gran Dolina site (Burgos, Spain), *American Journal of Physical Anthropology* (2020). DOI: 10.1002/ajpa.24010

Provided by CENIEH

Citation: Modern face of Homo antecessor may have had insufficient room for wisdom teeth (2020, January 20) retrieved 25 April 2024 from <u>https://phys.org/news/2020-01-modern-homo-antecessor-insufficient-room.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.