

Mountain vegetation dries out Alpine water fluxes

January 29 2020, by Peter Rüegg



Credit: AI-generated image (disclaimer)

ETH researchers confirm the paradox: rather than withering during droughts, plants at higher elevations absolutely thrive, as a study just published in the journal *Nature Climate Change* shows.

Until now, scientists assumed that most plants suffer from water stress



during droughts: they close their stomata to retain water, stop growing and, in the worst case, wither. As a result, there is a decrease in evaporation and transpiration of water from vegetation, soil and water surfaces—a process that experts call evapotranspiration. "But despite dry and warm conditions, droughts are not occurring at higher altitudes in, say, forested mountain areas," says Simone Fatichi, senior assistant at the ETH Zurich Institute of Environmental Engineering.

Analyses of observations and computer model simulations from the heatwave of summer 2003 (and recent hot and dry summers) indicate that, during droughts, <u>mountain forests</u> and grasslands at <u>higher</u> <u>elevations</u> release even more water into the air than in "normal" periods of growth with <u>average temperatures</u> and sufficient precipitation.

This is because warmth and abundant sunshine promote vegetation growth. But at the same time, the vegetation has a higher metabolism, and so it essentially sucks every last drop of water from the ground in order to grow. For that reason, evapotranspiration was much greater than expected at higher altitudes during the droughts studied.

Green water predominates in dry and warm summers

Fatichi and his colleagues have now investigated this phenomenon across large areas in the European Alps for the first time, with the help of a computer model. This enabled them to quantify the share of "green" water, i.e. water that reaches the air through evapotranspiration, in proportion to that of "blue" water, the water that runs off into streams, rivers and lakes.





In an average summer, less water evaporates through vegetation; in a hot summer accompanied by dry conditions, the opposite is true, which amplifies the lack of water in streams. Credit: Michael Stünzi / ETH Zürich

The researchers populated their model with data recorded at more than 1,200 stations throughout the Alpine region that measure, among other things, meteorological parameters and river runoff.

On the basis of their simulation, Fatichi and his doctoral student Theodoros Mastrotheodoros calculated that in forested mountain areas 1,300–3,000 meters above sea level, evapotranspiration rates were above average in large parts of the Alps during the heatwave of 2003.

That summer, Alpine water fluxes were on average only half their usual volume and, according to the ETH researchers' calculations, one third of this runoff deficit was attributable to evapotranspiration. Fatichi emphasizes that "it is therefore the vegetation at this altitude that was instrumental in draining the half-dry rivers and streams."

Global warming amplifies evapotranspiration



As part of their investigation, the researchers also simulated a temperature rise of 3 degrees in the Alpine region—a scenario that could become reality by the end of this century and that could further increase annual evaporation rates by as much as 6 percent. In terms of precipitation, the amount of evaporated water would be comparable to an annual decline in the Alps of 45 liters per square meter on average—which corresponds to 3–4 percent of annual precipitation. This remarks that at the annual scale—differently from warm summers—precipitation and its changes are by far the most important factors that determine runoff volumes.

As a result, discharge volumes in rivers and streams will come under even greater pressure in future. "As summers become warmer and drier, we'll see a shift towards more green and less blue water," Fatichi says. In the long term, this will endanger the supply of water to the lower-lying regions in and around the Alps, he explains.

Several factors play into this scenario: <u>global warming</u> is expected to result in a general reduction in precipitation, glaciers are set to dwindle and, in dry and warm summers, evapotranspiration will intensify the problem of lower runoff volumes. Such circumstances could cast some doubt over the Alps' role as the "water towers of Europe". Four of Europe's major rivers, the Rhine, Rhône, Inn and Po, originate in the Alps. Together, they supply around 170 million people with water and play a crucial role in power generation and agriculture. A large part of Europe therefore depends on the blue water from the Alps, leading Fatichi to ask the question, "can we really afford to allow the volumes of this <u>water</u> to decline?"

More information: Theodoros Mastrotheodoros et al. More green and less blue water in the Alps during warmer summers, *Nature Climate Change* (2020). DOI: 10.1038/s41558-019-0676-5



Provided by ETH Zurich

Citation: Mountain vegetation dries out Alpine water fluxes (2020, January 29) retrieved 27 June 2024 from <u>https://phys.org/news/2020-01-mountain-vegetation-dries-alpine-fluxes.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.