


Nanocontainers introduced into the nucleus of living cells

January 27 2020



To enter into the cell nucleus (grey), the polymersomes (red) must selectively translocate across the nuclear membrane (dark blue) via the nuclear pore complexes (gaps in the membrane). Credit: Christina Zelmer, University of Basel, and Evi Bieler, Swiss Nanoscience Institute.

An interdisciplinary team from the University of Basel in Switzerland has succeeded in creating a direct path for artificial nanocontainers to enter into the nucleus of living cells. To this end, they produced

biocompatible polymer vesicles that can pass through the pores that decorate the membrane of the cell nucleus. In this way, it might be possible to transport drugs directly into the cell's control center.

In order to combat diseases, different therapies strive to intervene in pathological processes that occur in the [cell nucleus](#). Chemotherapies, for example, target [biochemical reactions](#) that are involved in the proliferation of cancer [cells](#), while the objective of gene therapies is to insert a desired gene into the nucleus. Therefore, a challenge in the field of nanomedicine is to develop a [reliable method](#) of introducing active substances specifically into the cell nucleus.

Researchers at the University of Basel have now developed tiny nanocontainers that do just that in living cells. These nanocontainers can pass through the nuclear pore complexes that control the transport of molecules into and out of the cell nucleus. The development of these so-called polymersomes involved a highly interdisciplinary team of scientists from the Swiss Nanoscience Institute, the Biozentrum and the Department of Chemistry.

Entry ticket into the nucleus

Researchers used a trick to direct the artificial nanocontainers through the nuclear pore complexes: "These polymersomes, which are about 60 nanometers in size, are encapsulated by a flexible polymer membrane that mimics natural membranes," explains chemist Professor Cornelia Palivan. "However, they are more robust than lipid vesicles and can be functionalized as needed."

In addition, the researchers constructed the polymersomes with nuclear localization signals bound to them—giving them an entry ticket into the nucleus, so to speak. Cells use these signals to differentiate between molecules that need to be transported into the nucleus and those that

should be kept out. In this way, the nuclear localization signals are used to disguise the artificial nanocontainers as permissible cargo.

Inspired by nature

"The presence of nuclear localization signals enables the polymersomes to hijack the cellular transport machinery that delivers cargo through the [nuclear pore complexes](#)," explains Professor Roderick Lim. This property is similarly based on nature: "This strategy is also used by some viruses," said the biophysicist.

The researchers were able to track the path of the polymersomes into the cell nucleus by filling them with different dyes and observing them using various microscopic techniques. This confirmed the successful transport of the artificial nanocontainers into the cell nucleus in vitro as well as in vivo within living cells. For future investigations, these dyes will be replaced by therapeutic agents.

"These findings show that the polymersomes we have developed make it possible to deliver artificial cargo very specifically into the cell nucleus. Indeed, nanocontainers without nuclear localization signals could not be detected in the cell [nucleus](#)," according to first author Christina Zelmer, summarizing the study.

The study is published in *Proceedings of the National Academy of Sciences*.

More information: Christina Zelmer et al., "Organelle-specific targeting of polymersomes into the cell nucleus," *PNAS* (2020).
www.pnas.org/cgi/doi/10.1073/pnas.1916395117

Provided by University of Basel

Citation: Nanocontainers introduced into the nucleus of living cells (2020, January 27) retrieved 19 April 2024 from <https://phys.org/news/2020-01-nanocontainers-nucleus-cells.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.