

The roughening of a platinum electrode

January 28 2020



3-D stack of subsequent phases of the roughening. Credit: Leiden University

Smooth platinum electrodes roughen and wear when subjected to repeated cycles of oxidation and reduction, which causes nanometer scale mounds to grow. Leiden chemists Leon Jacobse and Mark Koper, together with physicist Marcel Rost, discovered the exact details, using a unique tunneling microscope.



Electrodes made of the noble metal <u>platinum</u> are used in electrolysis and fuel cells because they hardly deteriorate despite intensive use. However, they're not completely inert, and they do wear with use. "It has been known for more than a century that they have to be prepared to be of use," says Marc Koper, an electrochemist at the Leiden Institute of Chemistry (LIC).

Before it works optimally, the electrode has to undergo a few cycles of oxidation and reduction. "It was assumed that this cleaned the electrode, but this is certainly not the only thing happening," says Koper. Chemical and physics research has shown how repeatedly oxidizing and reducing roughens the platinum, but the exact mechanism behind this process has always been somewhat of a mystery.

In an earlier paper, the three scientists showed that the roughening can be imaged to almost atomic resolution with a special Scanning Tunneling Microscope built by physicist Marcel Rost at the Leiden Institute of Physics (LION).

Platinum mounds

"An atomically sharp needle scans the <u>surface</u>, while we measure an extremely small current," says Rost. "This is the so-called tunnel current that we use to image the surface atomically. But in this case, we can keep doing this while the surface and tip are part of an electrochemical cell, in which currents run many times larger than the tunnel current. This way, we can measure the reactivity while still imaging the surface."

This technique makes visible how growing mounds form on the platinum surface. In the beginning, a perfect platinum surface is a plain of platinum <u>atoms</u> in a neat hexagonal lattice. When this surface oxidizes, a one atom thick layer of platinum oxide forms. In order to fit in the extra oxygen atoms, some <u>platinum atoms</u> are pushed out of the surface, and



these atoms start to wander over the surface. These wandering atoms are called adatoms. During their travels, adatoms run into other adatoms, and they stick together to form small islands.



Scanning Tunneling Microscope image showing different plateaus full of mounds. Credit: Leiden University



Suprising

When the platinum oxide layer is subsequently reduced, the adatomislands stay behind, along with the empty spots in the layer below, called vacancies. With repeated oxidizing and reducing, mounds start forming made out of stacked plateaus. The mounds become higher in the middle and deeper at the edges. "This was surprising," says Rost, "because mounds shouldn't be stable, and should merge together."

Holes

In their paper in ACS Central Science, the Leiden physics-chemistry cooperation charts the mound evolution atom by atom. Starting out with an initially flat platinum surface in a solution of perchloric acid (HClO4) in water, they oxidized and reduced the platinum 170 times, by varying the electrical potential over the surface, while imaging the characteristic pockmarks caused by the mounds. By measuring the electrochemical current, and connecting that to the images, the researchers could specify the contributions of different features of the crystal plane.

But the exact shape and size of the mounds could only be explained after a conceptual leap. It is not only adatoms that can wander around, but vacancies can do the exact same thing. An atom next to the vacancy moves over to fill it, and thus the vacancy has moved one atom. Similarly, vacancies can meet other vacancies to cling together. Just as adatoms form islands, vacancies can cling together to form growing holes.

Sustainable energy solutions

"The idea that a vacancy is an anti-adatom of sorts, isn't new," says Rost. "What is new is that both share similar growth modes to shape mounds



and holes." The mathematical description is identical.

With this insight, the theory of crystal growth (adding atoms) could be translated nicely to the oxidation-reduction cycles (adding adatoms and vacancies simultaneously).

The growing holes and mounds, taken together, nicely explain the experimental roughness, the researchers show in a Nature Communications paper, that stresses the duality parallel between adatoms and vacancies.

"Platina electrodes are used in electrochemical energy conversions, such as in electrolysis and fuel cells," says Koper. "The wear and roughening of platinum electrodes is the most important factor in their longevity, and in the cost of new sustainable energy solutions. Now that we are gaining an atomically detailed understanding of this process, we can work much more focused on improving these technologies."

More information: Leon Jacobse et al. Atomic-Scale Identification of the Electrochemical Roughening of Platinum, *ACS Central Science* (2019). DOI: 10.1021/acscentsci.9b00782

Marcel J. Rost et al. The dualism between adatom- and vacancy-based single crystal growth models, *Nature Communications* (2019). DOI: 10.1038/s41467-019-13188-0

Leon Jacobse et al. Correlation of surface site formation to nanoisland growth in the electrochemical roughening of Pt(111), *Nature Materials* (2018). DOI: 10.1038/s41563-017-0015-z

Provided by Leiden University



Citation: The roughening of a platinum electrode (2020, January 28) retrieved 30 April 2024 from <u>https://phys.org/news/2020-01-roughening-platinum-electrode.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.